

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 20
Name: **Biscayne Bay Pilots Association Wharf.**
Location: East side of Biscayne Bay, north side of Fisherman's Channel, east end of Lummus Island. Datum: MLW
Operator: Biscayne Bay Pilots Association.
Owner: Miami-Dade County Seaport Department.
Address: 2911 Port Boulevard. Phone: 305/374-2791
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring pilot boats.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 25.766111
Total Berthing Space (feet): 60 | 52 | 80 Longitude (decimal): -80.14556
Remarks: Four pilot boats are based at wharf and pier. Pilot station, offices, and living quarters are located in rear.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 330 Jacksonville District

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 31
Name: **Casino Princesa Mooring.**
Location: West side of Biscayne Bay, south of east side of west basin wall on south side of Port Boulevard Causeway Datum: MLW
Operator: Casino Princesa.
Owner: City of Miami.
Address: Phone: 305/379-5825
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring Casino Princesa.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 25.775833
Total Berthing Space (feet): 260 | | Longitude (decimal): -80.185
Remarks: Bayfront Park is located at rear.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 220

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 6
Name: **City of Miami Beach, Causeway Island Wharf.**
Location: East side of Biscayne Bay, south side of MacArthur Causeway, 800 feet west of outer end, Miami Beach. Datum: MLW
Operator: City of Miami Beach.
Owner: City of Miami Beach.
Address: 140 MacArthur Causeway. Phone: 305/673-7642
Town: Miami Beach State: FL County: Dade
Railway Connection: None.
Purpose: Mooring miscellaneous vessels.
Depth Alongside (feet): 27 | | Latitude (decimal): 25.770278
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.14778
Remarks: One 170- by 78-foot, steel frame, concrete block building at rear is used for storing materials and equipment and provides office space for City of Miami Beach, Fleet Management Division.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 337 Jacksonville District

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 29
Name: **City of Miami, Miamarina at Bayside Basin.**
Location: West side of Biscayne Bay, basin on south side of Port Boulevard Causeway. Datum: MLW
Operator: City of Miami, Department of Public Facilities.
Owner: City of Miami.
Address: 401 Biscayne Boulevard. Phone: 305/579-6955
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring excursion vessels and charter fishing boats.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 25.779167
Total Berthing Space (feet): 30 | | Longitude (decimal): -80.18667
Remarks: Larger excursion vessels also moor along south side of basin. East side of basin has mooring capacity for approximately 90 recreational boats in slips formed by finger piers.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 224 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 30
Name: **City of Miami, Miamarina at Bayside Outer Wall Mooring.**
Location: West side of Biscayne Bay, east side of west basin wall on south side of Port Boulevard Causeway. Datum: MLW
Operator: City of Miami, Department of Public Facilities.
Owner: City of Miami.
Address: 401 Biscayne Boulevard. Phone: 305/579-6955
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring commercial and excursion vessels.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 25.777222
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.18389
Remarks: Bayside is located at rear. □ □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 224 Jacksonville District

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 10
Name: **City of Miami, Watson Island Marina Wharf.**
Location: East side of Biscayne Bay, west side of Watson Island, south of MacArthur Causeway Bridge. Datum: MLW
Operator: City of Miami.
Owner: City of Miami.
Address: 1060 MacArthur Causeway. Phone:
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring small vessels, fishing boats and charter fishing boats.
Depth Alongside (feet): 8 - 15 | | Latitude (decimal): 25.785556
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -80.18
Remarks: Boats tie up perpendicular to face. Parking is available at rear. □ □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 253

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 2
Name: **Coastal Fuels Marketing, Fisher Island Terminal Dock and Slip**
Location: East side of Biscayne Bay, north side of Fisher Island, Miami Beach. Datum: MLW
Operator: Coastal Fuels Marketing, Inc., a subsidiary of the Coastal Corp. and Fisher Island Ho
Owner: Coastal Fuels Marketing, Inc.
Address: One B Street. Phone: 305/672-1065
Town: Miami Beach State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; fueling vessels; mooring company-owned floating equipment; and occasional landing for vehicular and passenger ferry.
Depth Alongside (feet): 36 | 15 - 20 | 15 - 20 Latitude (decimal): 25.763889
Total Berthing Space (feet): 800 | 150 | 490, Longitude (decimal): -80.14194
Remarks: Coastal Fuels Marketing, Inc.: A diesel fueling station is located at west end of wharf with water depth of 36 feet. One 24-, one 16- and one 8-inch pipelines extend from wharf, and one 8-inch pipeline extends slip to 12 steel storage tanks, total capacity 667,190 barrels. One 4-inch pipeline extends to diesel fueling station from 2 steel storage tanks, total capacity 20,000 gallons. Fisher Island Holdings, LLC: East side of slip is used for mooring idle ferries; inner end of east side is used as an emergency landing for vehicular and passenger ferries.

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 977 Jacksonville District

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 26
Name: **Fisher Island Ferry Terminal, Bay 183**
Location: East side of Biscayne Bay, south side of Dodge Island. Datum: MLW
Operator: Fisher Island Holdings, LLC.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/535-6043
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry to Fisher Island (Ref. No. 3); handling miscellaneous supplies and equipment.
Depth Alongside (feet): 15 | | Latitude (decimal): 25.772778
Total Berthing Space (feet): | | Longitude (decimal): -80.17444
Remarks: Facility is used by commercial vehicles destined for Fisher Island. □ □

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 460

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 3
Name: **Fisher Island Holdings, Fisher Island Barge Landing.**
Location: East shore of Biscayne Bay, north side of Fisher Island, Miami Beach. Datum: MLW
Operator: Fisher Island Holdings, LLC.
Owner: Fisher Island Holdings, LLC.
Address: One Fisher Island Drive. Phone: 305/535-6043
Town: Miami Beach State: FL County: Dade
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry to Port of Miami, Bay 183 (Ref. No. 26); handling miscellaneous supplies and equipment.
Depth Alongside (feet): 5 - 20 | | Latitude (decimal): 25.763889
Total Berthing Space (feet): 160 | | Longitude (decimal): -80.14444
Remarks: Ferries operate only during daylight hours.-□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 961 Jacksonville District

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 1
Name: **Fisher Island Holdings, Fisher Island Ferry Landing.**
Location: East shore of Biscayne Bay, north side of Fisher Island, Miami Beach. Datum: MLW
Operator: Fisher Island Holdings, LLC.
Owner: Fisher Island Holdings, LLC.
Address: One Fisher Island Drive. Phone: 305/535-6043
Town: Miami Beach State: FL County: Dade
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry to MacArthur Causeway (Ref. No. 3).
Depth Alongside (feet): 14 | | Latitude (decimal): 25.764167
Total Berthing Space (feet): 50 by | | Longitude (decimal): -80.13944
Remarks: Private facility for use only by residents and those having business on Fisher Island.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 981 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 8
Name: **Fisher Island Holdings, MacArthur Causeway Ferry Dock.**
Location: East side of Biscayne Bay, south side of MacArthur Causeway, 1,800 feet west of outer end, Miami Beach. Datum: MLW
Operator: Fisher Island Holdings, LLC.
Owner: Fisher Island Holdings, LLC.
Address: 178 MacArthur Causeway. Phone: 305/535-6043
Town: Miami Beach State: FL County: Dade
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry to Fisher Island (Ref. No. 1).
Depth Alongside (feet): 14 - 15 | - | Latitude (decimal): 25.772222
Total Berthing Space (feet): 50 by | - | Longitude (decimal): -80.15111
Remarks: Private facility for use only by residents and those having business on Fisher Island.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 325

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 7
Name: **Florida Power & Light Co., Miami Beach Wharf.**
Location: East side of Biscayne Bay, south side of MacArthur Causeway 1,000 feet west of outer end, Miami Beach. Datum: MLW
Operator: Florida Power & Light Co.
Owner: Florida Power & Light Co.
Address: 158 MacArthur Causeway. Phone: 305/674-4300/55
Town: Miami Beach State: FL County: Dade
Railway Connection: None.
Purpose: Mooring miscellaneous vessels.
Depth Alongside (feet): 13 - 20 | | Latitude (decimal): 25.770556
Total Berthing Space (feet): 637 | | Longitude (decimal): -80.14722
Remarks: Florida Power & Light Co. Transmission/Distribution Environmental Building is located at rear.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 335 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 28
Name: **Marine Spill Response Corp., Bays 201 to 204.**
Location: Biscayne Bay, east side of Atlantic Intracoastal Waterway, west side of Dodge Island, south of Port Boul Datum: MLW
Operator: Marine Spill Response Corp.
Owner: Miami-Dade County Seaport Department.
Address: 1020 Port Boulevard. Phone: 305/347-2228
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 13 - 15 | | Latitude (decimal): 25.776667
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.18167
Remarks: 'Florida Responder' is based at wharf.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 500

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 11
Name: **Miami Herald Publishing Co., Barge Dock.**
Location: Biscayne Bay, west side of Atlantic Intracoastal Waterway, between Venetian and MacArthur Causeways. Datum: MLW
Operator: Not operated.
Owner: Miami Herald Publishing Co. Inc
Address: 1 Herald Plaza. Phone: 305/376-2646
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 - 17 | | Latitude (decimal): 25.788333
Total Berthing Space (feet): 495 | | Longitude (decimal): -80.18556
Remarks: Wharf was formerly used for receipt of newsprint by barge.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 200 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 21
Name: **Port of Miami Container Terminal, Berths 1 to 5.**
Location: East side of Biscayne Bay, north side of Fisherman's Channel, east end of Lummus Island. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: None
Purpose: Receipt and shipment of containerized general cargo.
Depth Alongside (feet): 42 | | Latitude (decimal): 25.766111
Total Berthing Space (feet): 4,377 | | Longitude (decimal): -80.15333
Remarks: Universal Maritime Services/Maersk: Approximately 75 acres of paved, open storage area for containers including 570 positions for refrigerated cargo containers, are located at rear. Seaboard Marine: Approximately 75 acres of paved, open storage area for containers, including 144 positions for refrigerated cargo containers, are located at rear. Port of Miami Terminal Operating Co., Inc. (POMTOC): Approximately 135 acres of paved, open storage area for containers, including 300 positions for refrigerated cargo containers, are located at rear.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 400

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 22
Name: **Port of Miami, Bays 144 to 148.**
Location: East side of Biscayne Bay, west side of Lummus Island. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized and roll-on/roll-off general cargo.
Depth Alongside (feet): 30 | | Latitude (decimal): 25.767222
Total Berthing Space (feet): 600 | - | - Longitude (decimal): -80.1625
Remarks: Roll-on/roll-off berth is 150 feet wide at Berth 148W. Port of Miami Terminal Operating Company, Inc. (POMTOC) container storage area is located at rear. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 450

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 14
Name: **Port of Miami, Bays 25 3/4 to 38.**
Location: Biscayne Bay, center section of north side of Dodge Island. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: One platform-level track serves west side of Shed B, joins 4-track marshalling yard in rear; connects via Dodge Island Causeway with Florida East Coast Railway.
Purpose: Mooring cruise vessels; boarding passengers.
Depth Alongside (feet): 36 | | Latitude (decimal): 25.775833
Total Berthing Space (feet): 1,600 | | Longitude (decimal): -80.16778
Remarks: Passenger parking lot, U.S. Customs Automobile Vehicle Examination Station, and U.S.D.A. Fumigation Yard are located at rear of transit sheds.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 240

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 16
Name: **Port of Miami, Bays 45 to 55.**
Location: Biscayne Bay, east side of Dodge Island, east of foot of Asia Way. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional and roll-on/roll-off general cargo; shipment of automobiles; and mooring vessels.
Depth Alongside (feet): 31 - 36 | | Latitude (decimal): 25.773333
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -80.16278
Remarks: Port of Miami Terminal Operating Company, Inc. (POMTOC) automobile lot is located at rear.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 275

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 27
Name: **Port of Miami, Passenger Terminal No. 12.**
Location: Biscayne Bay, inner end of south side of Dodge Island. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off general cargo; mooring cruise vessels and other floating equipment; boarding passengers.
Depth Alongside (feet): 23 | | Latitude (decimal): 25.773889
Total Berthing Space (feet): 1,450 | | Longitude (decimal): -80.17639
Remarks: Passenger terminal and parking garage are located at rear. Marine Spill Response Corp. vessels moor at east side (Bays 183 to 184).
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14325 Dock Code: 475

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 12
Name: **Port of Miami, Passenger Terminal No. 6.**
Location: Biscayne Bay, east side of Atlantic Intracoastal Waterway, west side of Dodge Island, north of Port Boul Datum: MLW
Operator: Miami-Dade County Seaport Department and Moran Towing of Miami, Division of Moran Tow
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring cruise vessels and harbor tugs; boarding passengers.
Depth Alongside (feet): 32 | | Latitude (decimal): 25.78
Total Berthing Space (feet): 750 | | Longitude (decimal): -80.18083
Remarks: One elevated adjustable gangway extends from passenger terminal at rear. Parking lot is located at rear of terminal.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14325 Dock Code: 230 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 13
Name: **Port of Miami, Passenger Terminal Nos. 1 to 5 and 10.**
Location: Biscayne Bay, inner end of north side of Dodge Island. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring cruise vessels; boarding passengers.
Depth Alongside (feet): 31 - 36 | | Latitude (decimal): 25.779167
Total Berthing Space (feet): 3,220 | | Longitude (decimal): -80.17611
Remarks: Elevated adjustable gangways extend from each passenger terminal at rear. Parking lot and parking garage are located at rear of terminals. Office buildings located at rear of parking lots house Federal, State a functions.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 225

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 15
Name: **Port of Miami, Passenger Terminal Nos. 8 and 9.**
Location: Biscayne Bay, east section of north side of Dodge Island. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: One platform-level track serving Shed C joins 4-track marshalling yard in rear; connects via Dodge Island Causeway with Florida East Coast Railway.
Purpose: Mooring cruise vessels; boarding passengers.
Depth Alongside (feet): 36 | | Latitude (decimal): 25.774444
Total Berthing Space (feet): 1,680 | | Longitude (decimal): -80.16556
Remarks: Elevated adjustable gangways extend from passenger terminals at rear. Parking lot is located at rear of and adjacent to terminal. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 232

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 25
Name: **Port of Miami, Roll-on/Roll-off Bays 160 to 177.**
Location: East side of Biscayne Bay, south side of Dodge Island. Datum: MLW
Operator: Miami-Dade County Seaport Department and Coastal Tug & Barge, Inc., a subsidiary of T
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: Two platform level tracks along west side of Shed G join additional trackage serving port area; connect via Dodge Island Causeway with Florida East Coast Railway.
Purpose: Receipt and shipment of containerized and roll-on/roll-off general cargo; mooring harbor tugs.
Depth Alongside (feet): 23 - 24 | | Latitude (decimal): 25.771111
Total Berthing Space (feet): 1,052 | | Longitude (decimal): -80.16944
Remarks: Coastal Tug & Barge, Inc. dispatch office is located at rear. Seaboard Marine container storage area is located at rear. Port of Miami Cold Storage is located adjacent to Shed G.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14325 Dock Code: 455

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 23
Name: **Port of Miami, Roll-on/Roll-off Berth 154.**
Location: East side of Biscayne Bay, foot of Australia Way. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized and roll-on/roll-off general cargo.
Depth Alongside (feet): 24 | | Latitude (decimal): 25.768889
Total Berthing Space (feet): 670 | | Longitude (decimal): -80.16472
Remarks: -□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14325 Dock Code: 450

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 24
Name: **Port of Miami, Roll-on/Roll-off Berth 155.**
Location: East side of Biscayne Bay, west of foot of Australia Way. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized and roll-on/roll-off general cargo.
Depth Alongside (feet): 21 | | Latitude (decimal): 25.769444
Total Berthing Space (feet): 550 | | Longitude (decimal): -80.1675
Remarks: Seaboard Marine container storage area is located at rear.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 450

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 17
Name: **Port of Miami, Roll-on/Roll-off Berth 55W.**
Location: Biscayne Bay, east side of Dodge Island, east of foot of Asia Way. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional and roll-on/roll-off general cargo.
Depth Alongside (feet): 31 | | Latitude (decimal): 25.772778
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.16167
Remarks: Roll-on/roll-off berth is 160 feet wide. Port of Miami Terminal Operating Company, Inc. (POMTOC)
empty container storage area is located at rear.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 286

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 18
Name: **Port of Miami, Roll-on/Roll-off Berth 59W.**
Location: Biscayne Bay, east side of Dodge Island, east of foot of Asia Way. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional and roll-on/roll-off general cargo.
Depth Alongside (feet): 35 | | Latitude (decimal): 25.7725
Total Berthing Space (feet): 550 | | Longitude (decimal): -80.16
Remarks: Roll-on/roll-off berth is 105 feet wide. Port of Miami Terminal Operating Company, Inc. (POMTOC)
empty container storage area is located at rear. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 286

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 19
Name: **Port of Miami, Roll-on/Roll-off Berth 65W.**
Location: Biscayne Bay, east side of Dodge Island, east of foot of Asia Way. Datum: MLW
Operator: Miami-Dade County Seaport Department.
Owner: Miami-Dade County Seaport Department.
Address: Phone: 305/371-7678
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional and roll-on/roll-off general cargo.
Depth Alongside (feet): 35 | | Latitude (decimal): 25.7725
Total Berthing Space (feet): 690 | | Longitude (decimal): -80.15833
Remarks: Roll-on/roll-off berth is 80 feet wide. Port of Miami Terminal Operating Company, Inc. (POMTOC)
empty container storage area is located at rear. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 286

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 5
Name: **Terminal Investment Corp. Wharves.**
Location: East shore of Biscayne Bay, south side, east end of MacArthur Causeway, Miami Beach. Datum: MLW
Operator: Terminal Investment Corp.
Owner: Terminal Investment Corp.
Address: 120 MacArthur Causeway. Phone: 305/441-9966
Town: Miami Beach State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 14 - 33 | 33 - 35 | Latitude (decimal): 25.770278
Total Berthing Space (feet): 700 | 757 | Longitude (decimal): -80.14667
Remarks: Approximately 5.6 acres of open storage area are located in rear.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 340 Jacksonville District

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 4
Name: **U.S. Coast Guard, Integrated Support Command, Miami Beach, Wharves**
Location: East shore of Biscayne Bay, Causeway Island, south side of MacArthur Causeway, Miami Beach. Datum: MLW
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 100 MacArthur Causeway. Phone: 305/535-8763
Town: Miami Beach State: FL County: Dade
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels; mooring seized vessels.
Depth Alongside (feet): 25 | 4 - 11 | 20 Latitude (decimal): 25.770833
Total Berthing Space (feet): 395 | 1,025 | 250+ Longitude (decimal): -80.14528
Remarks: Approach causeway at inner end of west side forms head of 295-foot-wide slip with wharf and adjacent Ref. No 5. Additional berthing space is available at head of slip for small craft along 3 parallel, 100- by 5- timber-decked piers spaced 50 feet apart extending from an 8-foot-wide walkway of similar construction parallel to bridge.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 347 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Biscayne Bay** Mile: PWD: 9
Name: **Watson Island Fuel & Fishing Supply Wharf.**
Location: East side of Biscayne Bay, west side of Watson Island, 1,200 feet south of MacArthur Causeway Bridge. Datum: MLW
Operator: Watson Island Fuel & Fishing Supply.
Owner: City of Miami.
Address: 1050 MacArthur Causeway. Phone: 305/371-2378
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Fueling small vessels and recreational craft.
Depth Alongside (feet): 15 | | Latitude (decimal): 25.784167
Total Berthing Space (feet): 141 | | Longitude (decimal): -80.17944
Remarks: Operator maintains 6 metered pumps on wharf, 3 supplied by two diesel fuel storage tanks, total capacity 8,000 gallons, and 3 supplied by two gasoline storage tanks, total capacity 10,000 gallons.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14325 Dock Code: 255 Jacksonville District

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 55
Name: **Antillean Marine Shipping Corp. North Wharf.**
Location: North side, Miami Canal, approximately 0.9 mile below CSX Rail Transport Bridge. Datum: MLW
Operator: Antillean Marine Shipping Corp.
Owner: Consolidad Interamericana, S.A.
Address: 3038 N.W. North River Drive. Phone: 888/633-6361 Ex
Town: Miami State: FL County: Dade
Railway Connection: CSX Rail Transport: Two surface tracks along rear of lower apron.
Purpose: Receipt and shipment of containerized and conventional general cargo.
Depth Alongside (feet): 12 | | Latitude (decimal): 25.796667
Total Berthing Space (feet): 618 | | Longitude (decimal): -80.24667
Remarks: Face of wharf is in line and contiguous with Ref. No. 54. Open storage area located at rear has capacity for approximately 1,100 twenty-foot containers stacked 3- and 4-high.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 330 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 62
Name: **Atlas Iron Processors Wharf.**
Location: North side, Miami Canal, approximately 500 feet below CSX Rail Transport Bridge. Datum: MLW
Operator: Atlas Iron Processors, Inc.
Owner: Atlas Iron Processors, Inc.
Address: 3700 N.W. North River Drive. Phone: 305/638-0040
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 9 | | Latitude (decimal): 25.805556
Total Berthing Space (feet): 475 | | Longitude (decimal): -80.25806
Remarks: A steel frame, metal-covered storage building with capacity for 3,000 to 4,000 tons of scrap metal is located at rear; all scrap metal is transported by truck. Wharf is fenced off from remainder of property.
Year of Last Survey: 1999 Corps of Engns Waterway Code: 14326 Dock Code: 416

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 59
Name: **Auto-Marine Engineers Wharf.**
Location: North side, Miami Canal, approximately 1,800 feet below CSX Rail Transport Bridge. Datum: MLW
Operator: Auto-Marine Engineers, Inc
Owner: Auto-Marine Engineers, Inc
Address: 3464 N.W. North River Drive. Phone: 305/635-2401
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels for repair; installation and removal of engines and other equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 25.803611
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.25528
Remarks: Office, storage, and shop buildings are located in rear.□□
Year of Last Survey: 1999 Corps of Engns Waterway Code: 14326 Dock Code: 389

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 76
Name: **Bernuth Marine Shipping, East Wharf.**
Location: South side, Miami Canal, above entrance to Tamiami Canal. Datum: MLW
Operator: Bernuth Marine Shipping, Inc. and Florida Marine Towing Co., Inc.
Owner: Bernuth Marine Shipping, Inc..
Address: 3163 N.W. South River Drive. Phone: 305/637-8988
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized and conventional cargo; mooring vessels; and mooring company-owned floating equipment.
Depth Alongside (feet): 10 - 14 | | Latitude (decimal): 25.795278
Total Berthing Space (feet): 540 | | Longitude (decimal): -80.24583
Remarks: Transit sheds are used as container freight stations. □ Open storage area has capacity for approximately 100 twenty-foot containers stacked 3-high. Marine Diesel, Inc. marine repair plant is located at rear on opposite side of N.W. South River Drive, on left bank of Tamiami Canal
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 665 Jacksonville District

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 74
Name: **Bernuth Marine Shipping, West Wharf.**
Location: South side, Miami Canal, approximately 1,100 feet above entrance to Tamiami Canal. Datum: MLW
Operator: Bernuth Marine Shipping, Inc..
Owner: Bernuth Marine Shipping, Inc..
Address: 3293 N.W. South River Drive. Phone: 305/633-7711
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized general cargo.
Depth Alongside (feet): 10 - 14 | | Latitude (decimal): 25.796944
Total Berthing Space (feet): 385 | | Longitude (decimal): -80.24694
Remarks: Open storage area at rear has storage capacity for approximately 250 containers stacked up to 3-high. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 655 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 72
Name: **Byrd Diving & Salvage, Lower Wharf.**
Location: South side, Miami Canal, approximately 1,500 feet above confluence with Tamiami Canal Datum: MLW
Operator: Byrd Diving & Salvage, Inc.
Owner: Byrd Diving & Salvage, Inc.
Address: 3345 N.W. South River Drive. Phone: 305/635-1727
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; handling supplies and equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 25.797778
Total Berthing Space (feet): 100 | | Longitude (decimal): -80.24861
Remarks: Contractor's office and storage yard are located at rear.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 640 Jacksonville District

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 71
Name: **Byrd Diving & Salvage, Upper Wharf.**
Location: South side, Miami Canal, approximately 900 feet below entrance to Palmer Lake. Datum: MLW
Operator: Byrd Diving & Salvage, Inc.
Owner: Byrd Diving & Salvage, Inc.
Address: 3369 N.W. South River Drive. Phone: 305/635-1727
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 25.798611
Total Berthing Space (feet): 250 | | Longitude (decimal): -80.24889
Remarks: Contractor's storage yard is located at rear.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 640 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 63
Name: **Eisenberg Slip.**
Location: North side, Miami Canal, above CSX Rail Transport Bridge. Datum: MLW
Operator: Not operated.
Owner: Eugene Eisenberg.
Address: 3850 N.W. North River Drive. Phone: 305/633-1718/25
Town: Hialeah State: FL County: Dade
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 5 - 6 | 5 | 5 - 6 Latitude (decimal): 25.806667
Total Berthing Space (feet): 100 | - | 140 Longitude (decimal): -80.25944
Remarks: Property was for sale at time of survey.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 418 Jacksonville District

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 64
Name: **Eisenberg Wharf.**
Location: North side, Miami Canal, approximately 400 feet above CSX Rail Transport Bridge. Datum: MLW
Operator: Not operated.
Owner: Eugene Eisenberg.
Address: 3850 N.W. North River Drive. Phone: 305/633-1718/25
Town: Hialeah State: FL County: Dade
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 6 | | Latitude (decimal): 25.806389
Total Berthing Space (feet): 240 | | Longitude (decimal): -80.26
Remarks: Property was for sale at time of survey.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 418 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 73
Name: **Gateway Marine Terminal Wharf.**
Location: South side, Miami Canal, approximately 1,200 feet above confluence with Tamiami Canal Datum: MLW
Operator: Gateway Marine Terminal, Inc.
Owner: Amerika Realty Corp.
Address: 3301 N.W. South River Drive. Phone: 305/634-0070
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized and conventional general cargo.
Depth Alongside (feet): 14 | | Latitude (decimal): 25.797222
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.24722
Remarks: Approximately 1/2 acre of paved, open storage area is located at rear.-□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 656

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 67
Name: **International Marine Terminal Wharf.**
Location: South side, Miami Canal, approximately 1,000 feet below CSX Rail Transport Bridge. Datum: MLW
Operator: International Marine Terminal.
Owner: International Marine Terminal.
Address: 3701 N.W. South River Drive. Phone: 305/636-1929
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized, conventional, and roll-on/roll-off general cargo.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 25.804444
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.25611
Remarks: Approximately 1.5 acres of open storage area are located at rear with capacity for approximately 300 20- and 40-foot containers stacked up to 3-high.□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 610

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 60
Name: **Island Shipping & Terminals Wharf.**
Location: North side, Miami Canal, approximately 1,500 feet below CSX Rail Transport Bridge. Datum: MLW
Operator: Island Shipping & Terminals, Inc.
Owner: Auto-Marine Engineers, Inc.
Address: 3600 N.W. North River Drive. Phone: 305/637-1779
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 25.803889
Total Berthing Space (feet): 320 | | Longitude (decimal): -80.25556
Remarks: Approximately 1 acre of paved, open storage area is located at rear. Face of wharf is in line and continuous with Ref. No. 59.□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 390

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 70
Name: **Jones Boat Yard, Lower Wharf and Slip.**
Location: South side, Miami Canal, approximately 700 feet below entrance to Palmer Lake. Datum: MLW
Operator: Jones Boat Yard, Inc.
Owner: Cleveland Jones.
Address: 3339 N.W. South River Drive. Phone: 305/635-0981
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; hauling out vessels; mooring floating drydocks.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 25.799167
Total Berthing Space (feet): 130 | | Longitude (decimal): -80.24972
Remarks: One 250-ton, vertical boat lift is located between 130- and 60-foot sections of wharf. Building covering upper portion of wharf is described under Ref. No. 69. Vessels can be transferred from 250-ton vertical b tranverse tracks to 3 pairs of storage tracks at rear. One 1,600- and one 859-ton floating drydocks are moored in slip.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14325 Dock Code: 632 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 69
Name: **Jones Boat Yard, Upper Wharf and Piers.**
Location: South side, Miami Canal, above and below entrance to Palmer Lake. Datum: MLW
Operator: Jones Boat Yard, Inc.
Owner: Cleveland Jones.
Address: 3339 N.W. South River Drive. Phone: 305/635-0981
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 25.800556
Total Berthing Space (feet): 368 | 1,600 | Longitude (decimal): -80.25111
Remarks: A 60- by 22-foot rectangular slip for mobile vertical boat lift is built into open wharf near upper end.
Approximately one acre of paved open storage area for repairing small vessels is located at rear of wharf. concrete structure covers lower 250-foot portion of slip and upper portion of lower wharf, housing shipyard office and shops. Floating drydock is occasionally moored at upper side of slip.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 632 Jacksonville District

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 58
Name: **Miami-Haiti Terminal Wharf.**
Location: North side, Miami Canal, approximately 2,000 feet below CSX Rail Transport Bridge. Datum: MLW
Operator: Miami-Haiti Terminal, Inc.
Owner: Auto-Marine Engineers, Inc
Address: 3460 N.W. North River Drive. Phone: 305/635-0015
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 14 | | Latitude (decimal): 25.8025
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.25417
Remarks: Approximately 2 acres of paved, open storage area are located at rear. □ □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 388 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 61
Name: **Moby Marine Corp., Wharf and Slip.**
Location: North side, Miami Canal, approximately 1,200 feet below CSX Rail Transport Bridge. Datum: MLW
Operator: Moby Marine Corp. □
Owner: Moby Marine Corp.
Address: 3630 N.W. North River Drive. Phone: 305/634-6999
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 11 | 8 - 11 | Latitude (decimal): 25.804167
Total Berthing Space (feet): 100 + | 160 | Longitude (decimal): -80.25583
Remarks: Northeast side of slip has a 30-foot-wide, low-level ramp. □ □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 393 Jacksonville District

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 56
Name: **Pioneer Shipping Wharf.**
Location: North side, Miami Canal, approximately 0.7 mile below CSX Rail Transport Bridge. Datum: MLW
Operator: Pioneer Shipping, Inc.
Owner: Eagle Tire Co., Inc.
Address: 3250 N.W. North River Drive. Phone: 305/633-3224
Town: Miami State: FL County: Dade
Railway Connection: One surface track serving transit shed connects with CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 25.8
Total Berthing Space (feet): 622 | | Longitude (decimal): -80.25
Remarks: Open storage area located at rear has capacity for approximately 600 twenty-foot containers stacked 3- and 4-high. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 369 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 66
Name: **River Marine Terminal Wharf.**
Location: South side, Miami Canal, below CSX Rail Transport Bridge. Datum: MLW
Operator: River Marine Terminal.
Owner: River marine Terminal.
Address: 3795 N.W. South River Drive. Phone: 305/634-7374
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized, conventional, and roll-on/roll-off general cargo.
Depth Alongside (feet): 12 | | Latitude (decimal): 25.805833
Total Berthing Space (feet): 750 | | Longitude (decimal): -80.25778
Remarks: Approximately 3 acres of paved, open storage area are located at rear with capacity for approximately 500 20- and 40-foot containers stacked up to 5-high. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 594 Jacksonville District

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 57
Name: **Schurger Diving & Salvage Wharf.**
Location: North side Miami Canal, approximately 0.6 mile below CSX Rail Transport Bridge. Datum: MLW
Operator: Schurger Diving & Salvage, Inc.
Owner: Schurger Diving & Salvage, Inc.
Address: 3300 N.W. North River Drive. Phone: 305/683-1090/63
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized and conventional general cargo.
Depth Alongside (feet): 14 | | Latitude (decimal): 25.801111
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.25194
Remarks: Approximately 3 acres of paved, open storage area are located at rear. □ □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 375

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 54
Name: **Sea Terminal North River, Upper Wharf.**
Location: North side, Miami Canal, opposite confluence with Tamiami Canal. Datum: MLW
Operator: Sea Terminal North River, Inc.
Owner: Sea Terminal North River, Inc.
Address: 2974 N.W. North River Drive. Phone: 305/638-1757
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized, conventional, and roll-on/roll-off general cargo.
Depth Alongside (feet): 14 | | Latitude (decimal): 25.795278
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.24528
Remarks: Face of wharf is in line and contiguous with Ref. No. 53. Open storage area located at rear has capacity for approximately 350 twenty-foot containers stacked 3-high.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 323 Jacksonville District

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 68
Name: **Southern & Caribbean Agencies, Air Marine Terminals Wharf.**
Location: South side, Miami Canal, approximately 1,800 feet below CSX Rail Transport Bridge. Datum: MLW
Operator: Southern & Caribbean Agencies, Inc.
Owner: Southern & Caribbean Agencies, Inc.
Address: 3611 N.W. South River Drive. Phone: 305/633-8709
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized and conventional general cargo.
Depth Alongside (feet): 13 - 15 | | Latitude (decimal): 25.8025
Total Berthing Space (feet): 460 | | Longitude (decimal): -80.25417
Remarks: Paved open storage area located at rear and open storage area on opposite side of N.W. South River Drive has capacity for approximately 2,000 twenty-foot containers stacked 4-high.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 601 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 65
Name: **Titan Foods Wharf.**
Location: South side, Miami Canal, above CSX Rail Transport Bridge. Datum: MLW
Operator: Titan Foods, Inc.
Owner: Ocean Marine Transport, Inc.
Address: 3825 N.W. South River Drive. Phone: 305/635-0015
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 25.806111
Total Berthing Space (feet): 205 | | Longitude (decimal): -80.25917
Remarks: One 120- by 60-foot, steel frame, concrete block building located at rear is used for storage of foodstuffs. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 577

Port: **Miami**
Waterway: **Miami Canal** Mile: PWD: 75
Name: **TMM International Wharf.**
Location: South side, Miami Canal, approximately 800 feet above entrance to Tamiami Canal. Datum: MLW
Operator: TMM International, Inc.
Owner: Tropic Real Properties, Inc.
Address: 3201 N.W. South River Drive. Phone: 305/633-2244
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 11 | | Latitude (decimal): 25.796389
Total Berthing Space (feet): 280 | | Longitude (decimal): -80.24639
Remarks: Approximately 1/2 acre of paved, open storage area is located at rear.-□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 657 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 88
Name: **Ameritrade Terminals Wharf.**
Location: Right bank, Miami River, below N.W. 5th Street Bridge. Datum: MLW
Operator: Ameritrade Terminals, Inc.
Owner: Ameritrade Terminals, Inc.
Address: 377 N.W. South River Drive. Phone: 305/324-8191
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 14 | | Latitude (decimal): 25.777778
Total Berthing Space (feet): 200 + | | Longitude (decimal): -80.20611
Remarks: A portion of 180- by 40-foot building located at rear is used for storage of general cargo.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 883 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 82
Name: **Antillean Marine Shipping Corp., 22d Avenue Terminal Wharf and Sli**
Location: Right bank, Miami River, below N.W. 22d Avenue Bridge. Datum: MLW
Operator: Antillean Marine Shipping Corp. and P & L Towing & Transportation, Inc.
Owner: Prestique Investments.
Address: 2199 N.W. South River Drive. Phone: 305/634-6362
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized and conventional general cargo; mooring company-owned floating equipment.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 25.788611
Total Berthing Space (feet): 670 | 100 | Longitude (decimal): -80.23111
Remarks: Paved, open storage area located at rear has capacity for approximately 700 twenty-foot containers stacked 3- and 4-high, including 20 positions for refrigerated cargo containers.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 253

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 38
Name: **Atco Marine Service Wharf.**
Location: Left bank, Miami River, above W. Flagler Street Bridge. Datum: MLW
Operator: Atco Marine Service, Inc
Owner: Atco Marine Service, Inc
Address: 28 N.W. North River Drive. Phone: 305/374-5070
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt of seafood; mooring and icing fishing boats; handling supplies and equipment.
Depth Alongside (feet): 6 - 8 | | Latitude (decimal): 25.774444
Total Berthing Space (feet): 243 | | Longitude (decimal): -80.20139
Remarks: Buildings at rear were formerly used for processing and freezer storage of seafood. Facility was for sale at time of survey.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 090 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 90
Name: **Bassas Cargo International, Lower Wharf.**
Location: Right bank, Miami River, approximately 800 feet below N.W. 5th Street Bridge. Datum: MLW
Operator: Bassas Cargo International, Inc.
Owner: Bassas cargo International, Inc.
Address: 311 N.W. South River Drive. Phone: 305/324-8382
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 25.776667
Total Berthing Space (feet): 166 | | Longitude (decimal): -80.20444
Remarks: A portion of 80- by 40-foot building located at rear is used for storage of general cargo; building was being renovated at time of survey.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 890 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 89
Name: **Bassas Cargo International, Upper Wharf.**
Location: Right bank, Miami River, approximately 400 feet below N.W. 5th Street Bridge. Datum: MLW
Operator: Bassas Cargo International, Inc.
Owner: Bassas cargo International, Inc.
Address: 325 N.W. South River Drive. Phone: 305/324-8382
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 10 - 14 | | Latitude (decimal): 25.776944
Total Berthing Space (feet): 249 | | Longitude (decimal): -80.20472
Remarks: A portion of 45- by 40-foot building located at rear is used for storage of general cargo. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 890 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 84
Name: **Bimini Shipping Wharf and Slip.**
Location: Right bank, Miami River, above N.W. 12th Avenue Bridge. Datum: MLW
Operator: Bimini Shipping, Inc.
Owner: Bimini Shipping, Inc.
Address: 1201 N.W. South River Drive. Phone: 305/549-6121
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 14 | 10 | Latitude (decimal): 25.781944
Total Berthing Space (feet): 55 | 165 | Longitude (decimal): -80.21528
Remarks: Paved, open storage area is located at rear. □ □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 830 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 95
Name: **Brickell Shipping Corp. Wharf.**
Location: Right bank, Miami River, below S.W. 2d Avenue Bridge. Datum: MLW
Operator: Brickell Shipping Corp.
Owner: Brickell Shipping Corp.
Address: 615 S.W. 2d Avenue. Phone: 305/858-4595
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 12 - 13 | | Latitude (decimal): 25.768333
Total Berthing Space (feet): 240 | | Longitude (decimal): -80.19694
Remarks: Approximately 1 acre of paved, open storage area is located at rear.-□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 950

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 92
Name: **Captain Wallace Kreidt Dock.**
Location: Right bank, Miami River, approximately 600 feet above W. Flagler Street Bridge. Datum: MLW
Operator: Not operated.
Owner: Captain Wallace G. Kreidt.
Address: 127 N.W. South River Drive. Phone: 305/665-8424
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 25.774722
Total Berthing Space (feet): 210 | | Longitude (decimal): -80.2025
Remarks: Property was for sale at time of survey. Buildings were formerly used for seafood processing, packing, and freezing.□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 900 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 91
Name: **Captain Wallace Kreidt Wharf.**
Location: Right bank, Miami River, approximately 700 feet above W. Flagler Street Bridge. Datum: MLW
Operator: Not operated.
Owner: Captain Wallace G. Kreidt.
Address: 151 N.W. South River Drive. Phone: 305/665-8424
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 25.775556
Total Berthing Space (feet): 45 | 190 | 120 Longitude (decimal): -80.20333
Remarks: Property was for sale at time of survey.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 900 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 52
Name: **Dade County, Public Works Department Wharf.**
Location: Left bank, Miami River, approximately 450 feet above N.W. 27th Avenue Bridge. Datum: MLW
Operator: Dade County, Public Works Department.
Owner: Dade County.
Address: 2750 N.W. 20th Street. Phone: 305/592-4108
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring county-owned floating equipment.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 25.793056
Total Berthing Space (feet): 75 | 100 | Longitude (decimal): -80.24028
Remarks: -□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 310 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 32
Name: **DuPont Plaza Hotel Wharf.**
Location: Left bank, Miami River, below Brickell Avenue Bridge. Datum: MLW
Operator: El Dorado Casino Cruises and various excursion operators.
Owner: DuPont Plaza Hotel.
Address: 300 Biscayne Blvd. Way Phone: 305/371-4653
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring El Dorado Casino; mooring excursion vessels.
Depth Alongside (feet): 5 - 14 | | Latitude (decimal): 25.77
Total Berthing Space (feet): 630 | | Longitude (decimal): -80.18889
Remarks: DuPont Plaza Hotel and parking garage are located at rear.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 010

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 37
Name: **East Coast Fisheries Wharf.**
Location: Left bank, Miami River, between S.W. 1st Street and W. Flagler Street Bridges. Datum: MLW
Operator: East Coast Fisheries, Inc.
Owner: East Coast Fisheries, Inc.
Address: 360 West Flagler Street. Phone: 305/372-1300/57
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 7 | | Latitude (decimal): 25.773333
Total Berthing Space (feet): 280 | | Longitude (decimal): -80.20056
Remarks: A 4-story building at rear of upper end is used for wholesale and retail sales and contains a restaurant.
A 2-story building at rear of lower end is used for seafood processing. A 1-story freezer plant is located at seafood-processing building.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 082 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 50
Name: **Ebsary Foundation Co., Slip and Wharves.**
Location: Left bank, Miami River, below N.W. 22d Avenue Bridge. Datum: MLW
Operator: Ebsary Foundation Co.
Owner: Ebsary Foundation Co.
Address: 2154 N.W. North River Drive Phone: 305/325-0530
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment; handling construction materials and equipment.
Depth Alongside (feet): 3 - 12 | 12 | 12 Latitude (decimal): 25.788889
Total Berthing Space (feet): 109 | 70 | 190 Longitude (decimal): -80.23083
Remarks: Marine contractor's office and shop building are located at rear of head of slip, and storage area is located in rear of wharves.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 252 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 85
Name: **Fifth Street Terminal Wharf.**
Location: Right bank, Miami River, approximately 1,000 feet above N.W. 5th Street Bridge. Datum: MLW
Operator: Fifth Street Terminal, Inc.
Owner: Fifth Street Terminal, Inc.
Address: 555 N.W. South River Drive. Phone: 305/324-8191
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 25.779722
Total Berthing Space (feet): 540 | 80 | 100 Longitude (decimal): -80.21056
Remarks: Two piers are located at lower side of wharf.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 864

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 94
Name: **Florida Carib Fishery Wharf.**
Location: Right bank, Miami River, above S.W. 1st Street Bridge. Datum: MLW
Operator: Florida Carib Fishery, Inc.
Owner: Florida Carib Fishery, Inc.
Address: 25 S.W. South River Drive. Phone: 305/545-8003/80
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing boats; handling supplies.
Depth Alongside (feet): 6 | | Latitude (decimal): 25.772778
Total Berthing Space (feet): 225 | | Longitude (decimal): -80.20083
Remarks: A 2-story seafood-processing plant is located at rear. □ □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 925 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 80
Name: **Florida Detroit Diesel Slip.**
Location: Right bank, Miami River, approximately 700 feet above N.W. 22d Avenue Highway Bridge. Datum: MLW
Operator: Florida Detroit Diesel - Allison.
Owner: Key Power, Inc.
Address: 2277 N.W. 14th Street. Phone: 305/637-3303
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 25.788889
Total Berthing Space (feet): 250 | 80 | 250 Longitude (decimal): -80.23389
Remarks: Marine repair plant specializing in servicing marine engines is located in rear. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 735 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 34
Name: **Florida Power & Light Co., Miami River Wharf**
Location: Left bank Miami River, below S.W. 2nd Avenue Bridge. Datum: MLW
Operator: Florida Power & Light Co.
Owner: Florida Power & Light Co.
Address: Phone: 305/789-1687
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 10 - 12 | 10 - 12 | Latitude (decimal): 25.768611
Total Berthing Space (feet): 245 | 130 | Longitude (decimal): -80.19667
Remarks: Open area at rear of wharf is used for storage of supplies and equipment. Chain link fence extends along rear of bulkhead.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 045 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 35
Name: **Garcia Brothers Wholesale Seafood Wharf.**
Location: Left bank, Miami River, above Interstate 95 Bridge. Datum: MLW
Operator: Garcia Brothers Wholesale Seafood, Inc.
Owner: Garcia Brothers Wholesale Seafood, Inc.
Address: 236 S.W. North River Drive. Phone: 305/375-0765
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt of seafood; mooring and icing fishing boats.
Depth Alongside (feet): 7 | | Latitude (decimal): 25.771667
Total Berthing Space (feet): 270 | | Longitude (decimal): -80.2
Remarks: Storage area for fishing supplies and equipment is located at rear. Restaurant and retail fish market (Garcia's Seafood Grille & Fish Market) are located at 398 N.W. North River Drive.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 070

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 81
Name: **Global Marine Slips.**
Location: Right bank, Miami River, above N.W. 22d Avenue Bridge. Datum: MLW
Operator: Global Marine, Inc.
Owner: The Coastal Corp.
Address: 2215 N.W. 14th Street. Phone: 305/635-6565
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional cargo; mooring vessels.
Depth Alongside (feet): 10 - 23 | 10 | 12 - 23 Latitude (decimal): 25.788611
Total Berthing Space (feet): 630, | 80 | 550, Longitude (decimal): -80.23194
Remarks: Approximately 1/2 acre of open storage area is located at rear.-□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 742

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 79
Name: **Global Marine Trading Slip.**
Location: Right bank, Miami River, approximately 900 feet above N. W. 22d Avenue Bridge Datum: MLW
Operator: Global Marine Trading, Inc.
Owner: Global Marine Trading, Inc.
Address: 1585 N.W. 24th Avenue. Phone: 305/637-0121
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 25.789722
Total Berthing Space (feet): 150 | 300, | Longitude (decimal): -80.23667
Remarks: Three additional basins, all under cover on upper side, provide approximately 4,500 lineal feet of mooring space with depths of 5 to 12 feet for recreational vessels.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 725 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 49
Name: **Hempstead Marine Wharf.**
Location: Left bank, Miami River, approximately 500 feet east of N.W. 22nd Avenue Bridge Datum: MLW
Operator: Hempstead Marine.
Owner: Hempstead Marine.
Address: 2122 N.W. North River Drive. Phone: 305/324-8553
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 11 | 11 | Latitude (decimal): 25.789444
Total Berthing Space (feet): 45 | 180 | Longitude (decimal): -80.23056
Remarks: Office is located at rear.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 190

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 48
Name: **Hurricane Terminal Slip.**
Location: Left bank, Miami River, approximately 900 feet west of N.W. 17th Avenue Bridge Datum: MLW
Operator: Hurricane Terminal.
Owner: Hurricane Terminal.
Address: 1818-1864 N.W. North River Drive. Phone: 305/634-6999/32
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized, conventional, and roll-on/roll-off general cargo.
Depth Alongside (feet): 8 | | Latitude (decimal): 25.787222
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.22556
Remarks: Approximately 1/2 acre of open storage area is located at rear.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 180

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 93
Name: **La Reine du Nord Group Wharf.**
Location: Right bank, Miami River, above W. Flagler Street Bridge. Datum: MLW
Operator: La Reine du Nord Group.
Owner: La Reine du Nord Group.
Address: 31 N.W. South River Drive. Phone: 305/545-9436/94
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 15 | | Latitude (decimal): 25.774167
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.20194
Remarks: -□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 917 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 86
Name: **Las Americas Marine Wharf.**
Location: Right bank, Miami River, approximately 700 feet above N.W. 5th Street Bridge. Datum: MLW
Operator: Las Americas Marine, Inc.
Owner: Las Americas Marine, Inc.
Address: 501 N.W. South River Drive. Phone: 305/545-7448
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 8 | | Latitude (decimal): 25.779167
Total Berthing Space (feet): 120 | | Longitude (decimal): -80.20944
Remarks: Slip for vertical boat lift is located above upper end of wharf. Marine repair plant is located at rear.□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 868

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 41
Name: **Merrill-Stevens Dry Dock Co., Main Yard, East Pier.**
Location: Left bank, Miami River, above N.W. 12th Avenue Bridge. Datum: MLW
Operator: Merrill-Stevens Dry Dock Co.
Owner: Merrill-Stevens Dry Dock Co.
Address: 1270 N.W. 11th Street. Phone: 305/324-5211
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 13 | | Latitude (decimal): 25.7825
Total Berthing Space (feet): 170 | | Longitude (decimal): -80.21472
Remarks: Vessels are temporarily moored at pier while awaiting access to, or leaving adjacent haul out facilities.
Upper side of pier forms a 50-foot-wide slip with lower side of 155- by 5-foot walkway used for handling
railway and vertical boat lift. One 500-ton marine railway and one 500-ton vertical boat lift are located
adjacent to walkway.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 173 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 45
Name: **Merrill-Stevens Dry Dock Co., Main Yard, Fitting-Out Dock.**
Location: Left bank, Miami River, approximately 500 feet above N.W. 12th Avenue Bridge. Datum: MLW
Operator: Merrill-Stevens Dry Dock Co.
Owner: Merrill-Stevens Dry Dock Co.
Address: 1270 N.W. 11th Street. Phone: 305/324-5211
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 11 | 11 | Latitude (decimal): 25.783333
Total Berthing Space (feet): 215 | - | Longitude (decimal): -80.21694
Remarks: Buildings at rear contain plumbing, welding, sheet metal, electrical, air conditioning, stabilizer, and
engine repair shops.□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 173 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 43
Name: **Merrill-Stevens Dry Dock Co., Main Yard, Mid-Slip Repair Pier.**
Location: Left bank, Miami River, approximately 350 feet above N.W. 12th Avenue Bridge Datum: MLW
Operator: Merrill-Stevens Dry Dock Co.
Owner: Merrill-Stevens Dry Dock Co.
Address: 1270 N.W. 11th Street. Phone: 305/324-5211
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 8 | 4 - 8 | 4 - 8 Latitude (decimal): 25.783056
Total Berthing Space (feet): - | 175 | 172 Longitude (decimal): -80.21611
Remarks: Upper side of pier forms 46-foot-wide slip (Slip No. 2) with lower side of Slip No. 2 Repair Wharf (Ref. No. 44). Pier and slip are covered as described under Ref. No. 42.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 173 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 44
Name: **Merrill-Stevens Dry Dock Co., Main Yard, Slip No. 2 Repair Wharf.**
Location: Left bank, Miami River, approximately 400 feet above N.W. 12th Avenue Bridge. Datum: MLW
Operator: Merrill-Stevens Dry Dock Co.
Owner: Merrill-Stevens Dry Dock Co.
Address: 1270 N.W. 11th Street. Phone: 305/324-5211
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 11 | 4 - 11 | 4 - 11 Latitude (decimal): 25.783333
Total Berthing Space (feet): 50 | 152 | - Longitude (decimal): -80.21667
Remarks: Lower side of pier forms 46-foot-wide slip (Slip No. 2) with upper side of Slip No. 2 Repair Wharf (Ref. No. 43). Pier and slip are covered as described under Ref. No. 42.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 173 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 42
Name: **Merrill-Stevens Dry Dock Co., Main Yard, Slip No. 3 Repair Wharf.**
Location: Left bank, Miami River, approximately 140 feet above N.W. 12th Avenue Bridge Datum: MLW
Operator: Merrill-Stevens Dry Dock Co.
Owner: Merrill-Stevens Dry Dock Co.
Address: 1270 N.W. 11th Street. Phone: 305/324-5211
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 12 - 13 | | 3 - 10 Latitude (decimal): 25.782778
Total Berthing Space (feet): 160 | | 195 Longitude (decimal): -80.21556
Remarks: Upper side of wharf forms a 46-foot-wide slip (Slip No. 3) with Mid-Slip Repair Pier (Ref No. 43). Upper side of pier and Slip No. 3 are covered by a steel frame, metal-covered structure which also contains offi Contiguous structure also extends over Ref. No 43 and to the rear of Ref. No. 44. Marine repair plant office, machine shop, pipe rack, storeroom, and open storage areas are located at rear of face of wharf.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 173 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 46
Name: **Merrill-Stevens Dry Dock Co., Main Yard, Storage Slip No. 1.**
Location: Left bank, Miami River, approximately 750 feet west of N.W. 12th Avenue Bridge Datum: MLW
Operator: Merrill-Stevens Dry Dock Co.
Owner: Merrill-Stevens Dry Dock Co.
Address: 1270 N.W. 11th Street. Phone: 305/324-5211
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 2 | 2 - 11 | 2 - 11 Latitude (decimal): 25.783611
Total Berthing Space (feet): 32 | 225 | 228 Longitude (decimal): -80.21722
Remarks: Slip is covered by steel frame, metal covered structure.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 173 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 83
Name: **Merrill-Stevens Dry Dock Co., South Yard, Wharf and Boat Basin.**
Location: Right bank Miami River, approximately 300 feet above N.W. 12th Avenue Bridge. Datum: MLW
Operator: Merrill-Stevens Dry Dock Co
Owner: Merrill-Stevens Dry Dock Co.
Address: 881 N.W. 13th Avenue. Phone: 305/324-5211/54
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 11 | 15 | 15 Latitude (decimal): 25.781667
Total Berthing Space (feet): 120 & | 275 | 250 Longitude (decimal): -80.21583
Remarks: Main yard of Merrill-Stevens Dry Dock Co. (Ref. Nos. 41 through 46) is located directly across the river. Slip for vertical boat lift is located at lower side of wharf.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 823 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 96
Name: **Miami Ship Services Wharf.**
Location: Right bank, Miami River, approximately 400 feet below S.W. 2d Avenue Bridge. Datum: MLW
Operator: Miami Ship Services, Inc.
Owner: Miami Ship Services, Inc.
Address: 690 S.W. 1st Court. Phone: 305/854-6411
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 15 | | Latitude (decimal): 25.768333
Total Berthing Space (feet): 220 | | Longitude (decimal): -80.19583
Remarks: Approximately 1 acre of paved, open storage area and three concrete storage buildings are located at rear.-□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 953 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 33
Name: **Moby Marine Corp., East Wharf.**
Location: Left bank, Miami River, approximately 500 feet above South Miami Avenue Bridge. Datum: MLW
Operator: Moby Marine Corp.
Owner: Florida East Coast Railway Co.
Address: 400 S.W. First Avenue. Phone: 305/634-6999
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of aggregate.
Depth Alongside (feet): 13 | | Latitude (decimal): 25.768889
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.19528
Remarks: Approximately 3 acres of open storage area are located at rear. □ □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 040 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 87
Name: **Norseman Shipbuilding Corp., Wharf.**
Location: Right bank, Miami River, approximately 500 feet above N.W. 5th Street Bridge. Datum: MLW
Operator: Norseman Shipbuilding Corp.
Owner: Norseman Shipbuilding Corp.
Address: 437 N.W. South River Drive. Phone: 305/545-6815
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring small vessels for outfitting and repair.
Depth Alongside (feet): 8 | | Latitude (decimal): 25.778889
Total Berthing Space (feet): 120 | | Longitude (decimal): -80.20917
Remarks: Slip for vertical boat lift is located between two wharf sections. One concrete, high-bay building at rear of wharf contains marine repair shops. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 870 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 39
Name: **North River Dock Corp. Wharf.**
Location: Left bank Miami River, approximately 550 feet below N.W. 5th Street Bridge. Datum: MLW
Operator: North River Dock Corp.
Owner: William Ekasala.
Address: 450 N.W. North River Drive. Phone: 305/751-8987/37
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 9 | | Latitude (decimal): 25.777222
Total Berthing Space (feet): 150 | | Longitude (decimal): -80.20528
Remarks: Concrete building located at rear is used for storage of general cargo. At time of survey, facilities were for sale or lease. ☐
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 120 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 36
Name: **North River Pier Corp. Wharf.**
Location: Left bank, Miami River, below S.W. 1st Street Bridge. Datum: MLW
Operator: North River Pier Corp.
Owner: East Coast Fisheries, Inc.
Address: 200 S.W. North River Drive. Phone: 305/751-8987/37
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo; mooring vessels.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 25.771667
Total Berthing Space (feet): 275 | | Longitude (decimal): -80.2
Remarks: - ☐☐
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 077 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 47
Name: **Padilla's Marina Slip.**
Location: Left bank, Miami River, approximately 800 feet west of N.W. 17th Avenue Bridge Datum: MLW
Operator: Padilla's Marina.
Owner: Padilla's Marina.
Address: 1310 N.W. 18th Avenue. Phone: 305/326-7200
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 8 - 10 | 8 - 10 | 8 - 10 Latitude (decimal): 25.786667
Total Berthing Space (feet): 50 | 85 | 175 Longitude (decimal): -80.225
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 175 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 51
Name: **Schurger Diving & Salvage Mooring.**
Location: Left bank, Miami River, above N.W. 22d Avenue Bridge. Datum: MLW
Operator: Schurger Diving & Salvage, Inc.
Owner: Schurger Diving & Salvage, Inc.
Address: 1960 N.W. 27th Avenue. Phone: 305/683-1090/63
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 25.789444
Total Berthing Space (feet): 450 | | Longitude (decimal): -80.23222
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 255

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 78
Name: **Sea Maritime Terminal Wharf.**
Location: Right bank, Miami River, below entrance to Tamiami Canal. Datum: MLW
Operator: Sea Maritime Terminal, Inc.
Owner: Estate of Elmore Daniels.
Address: 3001 N.W. South River Drive. Phone: 305/634-8900
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized general cargo; mooring vessels.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 25.795
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.24417
Remarks: Open storage area located at rear has capacity for approximately 400 twenty-foot containers, stacked 3-high. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 675 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 53
Name: **Sea Terminal North River, Lower Wharf.**
Location: Left bank, Miami River, approximately 1,300 feet above N.W. 27th Avenue Bridge. Datum: MLW
Operator: Sea Terminal North River, Inc.
Owner: Sea Terminal North River, Inc.
Address: 2974 N.W. North River Drive. Phone: 305/638-1757
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of containerized, conventional, and roll-on/roll-off general cargo.
Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 25.794444
Total Berthing Space (feet): 200 | 175 | 310 Longitude (decimal): -80.24389
Remarks: A 30-foot-wide concrete loading platform is located at upper end of center section. Paved, open area located at rear has capacity for approximately 350 twenty-foot containers stacked 3-high.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 323 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 40
Name: **Sierra Seafoods Wharf.**
Location: Left bank, Miami River, approximately 400 feet below N.W. 5th Street Bridge. Datum: MLW
Operator: Sierra Seafoods, Inc.
Owner: Sierra Seafoods, Inc.
Address: 452-456 N.W. North River Drive. Phone: 305/358-9424
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 25.7775
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.20556
Remarks: Building on opposite side of N.W. North River Drive at rear contains seafood processing facilities, retail market, and restaurant. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 121 Jacksonville District

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 77
Name: **South River Pier Corp. Wharf**
Location: Right bank, Tamiami Canal, above N.W. South River Drive bridge. Datum: MLW
Operator: South River Pier Corp.
Owner: South River Pier Corp.
Address: 3076 N.W. South River Drive. Phone: 305/633-5328
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring and repairing company-owned vessels.
Depth Alongside (feet): 5 | | Latitude (decimal): 25.795
Total Berthing Space (feet): 135 | | Longitude (decimal): -80.24556
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14326 Dock Code: 340

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Miami**
Waterway: **Miami River** Mile: PWD: 97
Name: **U.S. Customs Service, Miami Wharf.**
Location: Right bank, Miami River, approximately 250 feet above SE 2d Avenue Bridge. Datum: MLW
Operator: U.S. Customs Service, Office of Investigation.
Owner: Rivergate Plaza.
Address: 77 S.E. 5th Street. Phone: 305/536-5343
Town: Miami State: FL County: Dade
Railway Connection: None.
Purpose: Mooring U.S. Customs patrol boats.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 25.769444
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.19028
Remarks: U.S. Customs Service leases space in building at rear. □ □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14326 Dock Code: 960

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 116
Name: **Port of Palm Beach, Berth No. 1.**
Location: West shore of Lake Worth, south of entrance to Slip No. 2, Riviera Beach. Datum: MLW
Operator: Port of Palm Beach District.
Owner: Port of Palm Beach District.
Address: Phone: 561/882-1135
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: None.
Purpose: Receipt and shipment of conventional, roll-on/roll-off, and refrigerated general cargo; mooring small vessels.
Depth Alongside (feet): 25 | | Latitude (decimal): 26.765833
Total Berthing Space (feet): 210 | | Longitude (decimal): -80.05083
Remarks: Approximately 8,700 square feet of paved, open storage area is available between face of wharf and transit shed serving Ref. No. 117. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14266 Dock Code: 176 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 118
Name: **Port of Palm Beach, Berth No. 4.**
Location: West shore of Lake Worth, head of Slip No. 2, Riviera Beach. Datum: MLW
Operator: Port of Palm Beach District.
Owner: Port of Palm Beach District.
Address: Phone: 561/882-1135
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: None.
Purpose: Receipt and shipment of general cargo by small vessel and barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 26.766389
Total Berthing Space (feet): 220 | | Longitude (decimal): -80.05278
Remarks: □□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14266 Dock Code: 172

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 120
Name: **Port of Palm Beach, Berth No. 7.**
Location: West shore of Lake Worth, between Slips Nos. 1 and 2. Datum: MLW
Operator: Port of Palm Beach District.
Owner: Port of Palm Beach District.
Address: Phone: 561/882-1135
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: Port of Palm Beach District Railroad: Use of two surface tracks serving Berth No. 6 (Ref. No. 119).
Purpose: Receipt and shipment conventional and containerized general cargo; receipt and shipment of lumber.
Depth Alongside (feet): 25 | | Latitude (decimal): 26.767222
Total Berthing Space (feet): 215 | | Longitude (decimal): -80.05083
Remarks: Approximately 30 acres of open storage area are available west of Broadway (U.S. Highway 1).□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14266 Dock Code: 170 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 123
Name: **Port of Palm Beach, Berths Nos. 13 and 14.**
Location: West shore of Lake Worth, north side of Slip No. 1, Riviera Beach. Datum: MLW
Operator: Port of Palm Beach District.
Owner: Port of Palm Beach District.
Address: Phone: 561/882-1135
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: None.
Purpose: Receipt and shipment of containerized and conventional general cargo, heavy-lift items, construction equipment, and vehicles; mooring cruise vessels; boarding passengers.
Depth Alongside (feet): 33 | | Latitude (decimal): 26.768056
Total Berthing Space (feet): 760 | | Longitude (decimal): -80.05222
Remarks: Cruise terminal with adjustable overhead passenger gangway is located at rear; approximately 30,000 square feet of storage area is available at lower level of terminal. Paved parking area with capacity for approx located at rear and east of transit shed.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14266 Dock Code: 166

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 124
Name: **Port of Palm Beach, Berths Nos. 15, 16 and 17.**
Location: West shore of Lake Worth, north of entrance to Slip No. 1, Riviera Beach. Datum: MLW
Operator: Port of Palm Beach District.
Owner: Port of Palm Beach District.
Address: Phone: 561/882-1135
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: None.
Purpose: Receipt and shipment of containerized and conventional general cargo, heavy-lift items, construction equipment, and vehicles; mooring cruise vessels; boarding passengers.
Depth Alongside (feet): 33 | | Latitude (decimal): 26.768889
Total Berthing Space (feet): 464 | | Longitude (decimal): -80.05056
Remarks: Cruise terminal and parking lot are described under Ref. No. 123. Two reinforced concrete runways extending along rear of face are used by crawler cranes when handling cargo.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14266 Dock Code: 164

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 125
Name: **Port of Palm Beach, Berths Nos. 18 and 19.**
Location: West shore of Lake Worth, north of foot of Port Road extended, Riviera Beach. Datum: MLW
Operator: Tropical Shipping and Construction Co., Ltd.
Owner: Port of Palm Beach District.
Address: 4 East Port Road. Phone: 561/881-3994
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: None.
Purpose: Receipt and shipment of vehicles and containerized and conventional general cargo.
Depth Alongside (feet): 33 | | Latitude (decimal): 26.753056
Total Berthing Space (feet): 390 | | Longitude (decimal): -80.05139
Remarks: Tropical Shipping and Construction Co., Ltd.: A 29-acre container terminal complex, consisting of buildings used for container freight station; repair shops and offices; and an open storage area for approximately equivalent containers stacked five high. Approximately 25 trucks and 14 rail cars can be accommodated alongside buildings. Two reinforced concrete runways extending along rear of face are used by crawler cranes when
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14266 Dock Code: 162

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 117
Name: **Port of Palm Beach, Berths Nos. 2 and 3.**
Location: West shore of Lake Worth, south side of Slip No. 2, Riviera Beach. Datum: MLW
Operator: Florida Sugar Marketing & Terminal Assn., Inc.; Florida Power & Light Co.; and Florid
Owner: Port of Palm Beach District.
Address: Phone: 561/844-2062
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: None.
Purpose: Receipt and shipment of general cargo; receipt of fuel oil for plant consumption; and shipment of sugar and molasses.
Depth Alongside (feet): 33 | | Latitude (decimal): 26.766111
Total Berthing Space (feet): 620 | | Longitude (decimal): -80.05194
Remarks: Florida Sugar Marketing & Terminal Assn., Inc.: Concrete frame, metal-covered storage warehouse at rear has capacity for 21,500 tons of bulk raw sugar. Florida Molasses Exchange, Inc.: One 14-/10-inch pipeline from 6 storage tanks at terminal in rear, total capacity 11,500,000 gallons. □ Florida Power & Light Co.: One 30-inch pipeline extends from wharf to 2 steel storage tanks located at Interstate 95 Tank Farm, total capacity 510,000 barrels; one 12-inch pipeline extends to 4 steel storage tanks at Riviera Power Plant located on adjacent property, total capacity 510,000 barrels.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14266 Dock Code: 174

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 127
Name: **Port of Palm Beach, Berths Nos. 23, 24, and 25.**
Location: West shore of Lake Worth, north of foot of 10th Street extended, Riviera Beach. Datum: MLW
Operator: Tropical Shipping and Construction Co., Ltd.
Owner: Port of Palm Beach District.
Address: 4 East Port Road. Phone: 561/881-3994
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: None.
Purpose: Receipt and shipment of containerized general cargo, heavy-lift items, construction equipment, and vehicles.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 26.753611
Total Berthing Space (feet): 80 | 450 | Longitude (decimal): -80.05167
Remarks: See Remarks under Ref. Nos. 125 and 126. Two timber-capped, reinforced concrete runways extending along rear of Berths Nos. 24 and 25 are used by crawler cranes when handling cargo. At time of survey (1999) plan the construction of a cruise terminal and office building north of Slip No. 3.
Year of Last Survey: 1999 Corps of Eng'rs Waterway Code: 14266 Dock Code: 158

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 119
Name: **Port of Palm Beach, Berths Nos. 5 and 6.**
Location: West shore of Lake Worth, north side of Slip No. 2, Riviera Beach. Datum: MLW
Operator: Port of Palm Beach District; Sunbelt Cement Corp.; Southdown, Inc.; and Florida Power
Owner: Port of Palm Beach District.
Address: Phone: 561/844-6552
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: Port of Palm Beach District Railroad: Two surface tracks on apron, total length approximately 950 feet; connect with Florida East Coast Railway.
Purpose: Receipt and shipment of general cargo; and receipt of bulk cement and fuel oil for plant consumption.
Depth Alongside (feet): 33 | | Latitude (decimal): 26.766944
Total Berthing Space (feet): 640 | | Longitude (decimal): -80.05222
Remarks: Sunbelt Cement Corp.: Four 12-inch pipelines extend from wharf to 12 cement storage silos and 6 interstices, total capacity 35,000 tons, located at terminal in rear of Berth No. 4 (Ref. No. 118). Southdown, Inc.: Two 12-inch pipelines extend from wharf to west transit shed at rear, total capacity 20,000 tons of cement. □ Florida Power & Light Co.: One 30- and one 12-inch pipelines extend to respective storage tanks described under Ref. No. 117.
Year of Last Survey: 1999 Corps of Eng'rs Waterway Code: 14266 Dock Code: 171

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 121
Name: **Port of Palm Beach, Berths Nos. 8 and 9.**
Location: West shore of Lake Worth, south side of Slip No. 1. Datum: MLW
Operator: Port of Palm Beach District.
Owner: Port of Palm Beach District.
Address: Phone: 561/882-1135
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: None.
Purpose: Receipt and shipment of conventional and containerized general cargo.
Depth Alongside (feet): 33 | | Latitude (decimal): 26.7675
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.05222
Remarks: Stern- or bow-loading vessels at Berth No. 9 can utilize roll-on/roll-off facility at Berth No. 10 (Ref. No. 122). Two reinforced concrete runways extending along face are used by crawler cranes when handling ca
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14266 Dock Code: 168 Jacksonville District

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 122
Name: **Port of Palm Beach, Roll-on/Roll-off Berths Nos. 10, 11, and 12.**
Location: West shore of Lake Worth, west end of Slip No. 1, Riviera Beach. Datum: MLW
Operator: Port of Palm Beach District.
Owner: Port of Palm Beach District.
Address: Phone: 561/882-1135
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: None.
Purpose: Receipt and shipment of containerized, conventional, and roll-on/roll-off general cargo; handling construction, supplies and heavy equipment.
Depth Alongside (feet): 33 | | Latitude (decimal): 26.767778
Total Berthing Space (feet): 210 | | Longitude (decimal): -80.05306
Remarks: Specially designed, bow-loading vessels berth bow-to loading ramps to handle various roll-on/roll-off cargo. Approximately 12 acres of paved, open storage area located at rear of face is used primarily for conta
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14266 Dock Code: 167

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Palm Beach**
Waterway: **Lake Worth** Mile: PWD: 126
Name: **Port of Palm Beach, Roll-on/Roll-off Berths Nos. 20, 21, and 22.**
Location: West shore of Lake Worth, foot of 10th Street extended, Riviera Beach. Datum: MLW
Operator: Tropical Shipping and Construction Co., Ltd.
Owner: Port of Palm Beach District.
Address: 4 East Port Road. Phone: 561/881-3994
Town: Riviera Beach State: FL County: Palm Beach
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off general cargo.
Depth Alongside (feet): 25 | | Latitude (decimal): 26.753333
Total Berthing Space (feet): 3 | | Longitude (decimal): -80.05194
Remarks: Vessels berth bow-or stern-to for handling roll-on/roll-off cargo at one of three 67-foot-wide berths. At time of survey (1999) plans called for the construction of a 260-foot-wide slip (Slip No. 3); Berths Nos. No. 125) would be approximately 720 feet long.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14266 Dock Code: 160

Port: **Port Canaveral**
Waterway: **Atlantic Intracoastal Waterway** Mile: 887.4 PWD: 159
Name: **Orlando Utilities Commission, Indian River Plant Barge Wharf.**
Location: Mile 887.4, west side of Intracoastal Waterway (Indian River), Delespine. Datum: MLW
Operator: Orlando Utilities Commission.
Owner: Orlando Utilities Commission.
Address: 7800 South U.S. Highway 1. Phone: 407/236-9634
Town: Delespine State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 28.4925
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.77278
Remarks: One 8-inch pipeline extends from wharf to three storage tanks at power plant in rear, total capacity 386,000 barrels.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 16358 Dock Code: 501 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Atlantic Intracoastal Waterway** Mile: 889.1 PWD: 160
Name: **Florida Power & Light Co., Cape Canaveral Plant Barge Wharf.**
Location: Mile 889.1, west side, Intracoastal Waterway (Indian River), Frontenac. Datum: MLW
Operator: Florida Power & Light Co.
Owner: Florida Power & Light Co.
Address: 6000 North U.S. Highway 1. Phone: 407/637-2241
Town: Frontenac State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 13 - 15 | | Latitude (decimal): 28.467778
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.76361
Remarks: One 12-inch pipeline extends from wharf to 2 steel storage tanks at power plant in rear, total capacity 500,000 barrels.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 16357 Dock Code: 001

Port: **Port Canaveral**
Waterway: **Banana River** Mile: PWD: 157
Name: **Cape Canaveral Air Force Station, Hangar AF Recovery Slip.**
Location: East side of Banana River, approximately 0.5 mile south of NASA Causeway East. Datum: MLW
Operator: National Aeronautics and Space Administration.
Owner: U.S. Government.
Address: Hangar AF Canaveral Air Force Station Phone: 407/853-2703
Town: Canaveral AFS State: FL County: Brevard
Railway Connection: None.
Purpose: Handling recovered space shuttle solid rocket fuel boosters; mooring government-owned floating equipment.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 28.491667
Total Berthing Space (feet): 200 | 160 | 100 Longitude (decimal): -80.58917
Remarks: Building and open area in rear are used for reconditioning space shuttle rocket boosters.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14151 Dock Code: 085 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Banana River** Mile: PWD: 158
Name: **Kennedy Space Center Barge Dock.**
Location: West end of NASA Barge Canal, extending from north end of Banana River, Datum: MLW
Kennedy Space Center.
Operator: National Aeronautics and Space Administration.
Owner: U.S. Government.
Address: Saturn Road. Phone: 407/861-6370
Town: Kennedy Sp Cntr State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt of space shuttle components by barge; mooring towboats and barges.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 28.584167
Total Berthing Space (feet): One | 300+ | Longitude (decimal): -80.64528
Remarks: Barges berth end to- west bulkhead; space shuttle components are unloaded as roll-on/roll-off cargo. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14151 Dock Code: 900 Jacksonville District

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 151
Name: **Beyel Brothers, Port Canaveral Wharf.**
Location: North side of Canaveral Harbor, east side of West Turning Basin. Datum: MLW
Operator: Beyel Brothers, Inc. and International Towing and Salvage, Inc.
Owner: U.S. Government.
Address: 9119 Grouper Road. Phone: 407/868-0161
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring company-owned vessels for repair.
Depth Alongside (feet): 18 | | Latitude (decimal): 28.4125
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.62167
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 663 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 141
Name: **Bluepoints International Fisheries, East Wharf.**
Location: South side of Canaveral Harbor, approximately 0.6 mile below State Highway 401 Datum: MLW
Bridge.
Operator: Bluepoints International Fisheries, Inc.
Owner: Canaveral Port Authority.
Address: 727 Scallop Drive. Phone: 407/799-2860
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing boats.
Depth Alongside (feet): 12 | | Latitude (decimal): 28.408333
Total Berthing Space (feet): 265 | | Longitude (decimal): -80.62167
Remarks: Scallop processing plant is located at rear. □ □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 710 Jacksonville District

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 142
Name: **Bluepoints International Fisheries, West Wharf.**
Location: South side of Canaveral Harbor, approximately 0.5 mile below State Highway 401 Datum: MLW
Bridge.
Operator: Bluepoints International Fisheries, Inc.
Owner: Canaveral Port Authority.
Address: 727 Scallop Drive. Phone: 407/799-2860
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing boats.
Depth Alongside (feet): 10 | | Latitude (decimal): 28.408333
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.62306
Remarks: See Remarks under Ref. No. 141. □ □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 710 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 134
Name: **Canaveral Port Authority, Barge Berth.**
Location: South side of Canaveral Harbor, east of foot of Flounder Street extended. Datum: MLW
Operator: Transtate Industrial Pipeline Systems, Inc.
Owner: Canaveral Port Authority
Address: 9035 Flounder Street. Phone: 407/799-2279
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Shipment of No. 6 fuel oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 28.408889
Total Berthing Space (feet): 370 | | Longitude (decimal): -80.61333
Remarks: One 22-inch pipeline with 12-inch wharf connection extends from storage tank described under Ref. No. 131. Freddie Patrick Park is located at rear of wharf.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 800

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 128
Name: **Canaveral Port Authority, Cruise Terminal No. 4 Wharf.**
Location: South side of Canaveral Harbor, approximately 1,000 feet west of outer end of south entrance jetty, Cape Datum: MLW
Operator: Canaveral Port Authority.
Owner: Canaveral Port Authority.
Address: Phone: 407/783-7831
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring cruise vessels; boarding passengers.
Depth Alongside (feet): 35 | | Latitude (decimal): 28.409167
Total Berthing Space (feet): 2,153 | | Longitude (decimal): -80.59611
Remarks: Cruise Terminal No. 4 with 9,160 square feet of embarkation area and 20,000 square feet of baggage handling area is located at rear. Approximately 699 paved parking spaces are located at rear of the passenger te side of Jetty Drive. Malcolm E. McLouth fishing pier is located adjacent to the jetty on the south side of the Port Canaveral entrance channel.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 959 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 147
Name: **Canaveral Port Authority, Cruise Terminal No. 5 Wharf.**
Location: North side of Canaveral Harbor, north side of West Turning Basin. Datum: MLW
Operator: Canaveral Port Authority.
Owner: Canaveral Port Authority.
Address: Phone: 407/783-7831
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring cruise vessels; boarding passengers.
Depth Alongside (feet): 35 | | Latitude (decimal): 28.417222
Total Berthing Space (feet): 970 | | Longitude (decimal): -80.62556
Remarks: Cruise Terminal No. 5 with 59,000 square feet of embarkation and baggage handling area is located at rear. Approximately 1,300 paved parking spaces are located at rear of the passenger terminal.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 960

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 146
Name: **Canaveral Port Authority, Cruise Terminal No. 8 Wharf.**
Location: North side of Canaveral Harbor, southwest side of West Turning Basin. Datum: MLW
Operator: Canaveral Port Authority.
Owner: Canaveral Port Authority.
Address: Phone: 407/783-7831
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring cruise vessels; boarding passengers.
Depth Alongside (feet): 35 | | Latitude (decimal): 28.412778
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -80.62833
Remarks: Cruise Terminal No. 8 with 70,000 square feet of embarkation and baggage handling area is located at rear. Approximately 965 paved parking spaces are located at rear of the passenger terminal.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 965

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 129
Name: **Canaveral Port Authority, Cruise Terminals Nos. 2 and 3 Wharf.**
Location: South side of Canaveral Harbor, Cape Canaveral, approximately 0.7 mile west of outer end of south entrance Datum: MLW
Operator: Canaveral Port Authority.
Owner: Canaveral Port Authority.
Address: Phone: 407/783-7831
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring cruise vessels; boarding passengers.
Depth Alongside (feet): 35 | | Latitude (decimal): 28.409167
Total Berthing Space (feet): 2,153 | | Longitude (decimal): -80.6
Remarks: Wharf is in line and continuous with Ref. No. 1. Cruise Terminal No. 3 with 8,495 square feet of embarkation area and 16,000 square feet of baggage handling area is located at rear of east side. Approximately 6 spaces are located at rear of the passenger terminal on the south side of Jetty Drive. Cruise Terminal No. 2 with 8,495 square feet of embarkation area and 17,000 square feet of baggage area is located at rear of the Approximately 246 paved parking spaces are located at rear of the passenger terminal on the south side of Jetty Drive.

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 959 Jacksonville District

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 145
Name: **Canaveral Port Authority, Cruise Terminals Nos. 9 and 10 Wharf.**
Location: North side of Canaveral Harbor, south side of West Turning Basin. Datum: MLW
Operator: Canaveral Port Authority.
Owner: Canaveral Port Authority.
Address: Phone: 407/783-7831
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring cruise vessels; boarding passengers.
Depth Alongside (feet): 35 | | Latitude (decimal): 28.411667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -80.62778
Remarks: Cruise Terminals No. 9 and 10 with 75,000 square feet of embarkation and baggage handling area is located at rear. Approximately 750 paved parking spaces are located at rear of the passenger terminal.

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 970

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 152
Name: **Canaveral Port Authority, Dolphin Road Mooring Wharf.**
Location: North side of Canaveral Harbor, approximately 0.9 mile below State Highway 409 Datum: MLW
Bridge.
Operator: Canaveral Port Authority.
Owner: Canaveral Port Authority.
Address: Phone: 407/783-7831
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 15 | | Latitude (decimal): 28.410833
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.6175
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 585 Jacksonville District

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 154
Name: **Canaveral Port Authority, North Cargo Pier 3.**
Location: North side of Canaveral Harbor, approximately 1.2 miles below State Highway 409 Datum: MLW
Bridge.
Operator: Canaveral Port Authority.
Owner: Canaveral Port Authority.
Address: Phone: 407/783-7831
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt and shipment of general cargo; mooring vessels.
Depth Alongside (feet): 35 | | Latitude (decimal): 28.410833
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.61306
Remarks: Transit shed is used for general storage. Approximately 2.5 acres of paved, open storage area is located at rear of transit shed.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 978

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 155
Name: **Canaveral Port Authority, North Cargo Piers 1 and 2.**
Location: North side of Canaveral Harbor, west side of Middle Turning Basin. Datum: MLW
Operator: Canaveral Port Authority; Morton International, Inc.; and Mid-Florida Freezer Warehouse
Owner: Canaveral Port Authority.
Address: Phone: 407/868-7136
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt and shipment of containerized and roll-on/roll-off general cargo; receipt of salt.
Depth Alongside (feet): 38 | | Latitude (decimal): 28.4125
Total Berthing Space (feet): 1,350 | | Longitude (decimal): -80.61194
Remarks: Mid-Florida Freezer Warehouses, Inc.: Approximately 6 acres of paved, open storage area are located at rear including 40 positions for refrigerated cargo containers; plans call for the construction of an additio open storage area. □ Morton International, Inc.: Open storage area located at rear has capacity for approximately 11,000 tons of salt. Trademark Metal Recycling, Inc.: Open storage area at rear with capacity for approximately 500,000 tons of scrap metal was not in use at time of survey (1999).
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 980

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 133
Name: **Canaveral Port Authority, South Cargo Pier 4.**
Location: South side of Canaveral Harbor, foot of Discovery Road extended. Datum: MLW
Operator: Canaveral Port Authority; Mid-Florida Freezer Warehouses, Ltd.; and Cargill, Inc., Sa
Owner: Canaveral Port Authority.
Address: 9012 Herring Drive. Phone: 407/784-3242
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt and shipment of general cargo; receipt of salt and paper products; shipment of perishable food commodities.
Depth Alongside (feet): 38 | | Latitude (decimal): 28.408889
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.61111
Remarks: Mid-Florida Freezer Warehouses, Ltd.: See Remarks under Ref. No. 130. □ Cargill, Inc., Salt Division: Open storage area and building at rear have capacity for approximately 25,000 tons of salt.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 810

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 130
Name: **Canaveral Port Authority, South Cargo Piers 1, 2, and 3.**
Location: South side of Canaveral Harbor, approximately one mile inside outer end of south entrance jetty, Cape Ca Datum: MLW
Operator: Canaveral Port Authority; Coastal Fuels Marketing, Inc.; and Mid-Florida Freezer Ware
Owner: Canaveral Port Authority.
Address: Phone: 407/783-3393
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt and shipment of general cargo; receipt of paper products, asphalt and petroleum products; shipment of perishable food commodities; bunkering vessels; and mooring pilot boats.
Depth Alongside (feet): 34 | 25 | Latitude (decimal): 28.41
Total Berthing Space (feet): 1,616 | | Longitude (decimal): -80.60556
Remarks: Transit sheds and other buildings under long-term lease to Mid-Florida Freezer Warehouses, Ltd. serve as storage warehouses, primarily for citrus and paper products. Pilot boats are moored at rear of lower face by timber mooring piles and two 20- by 4-foot, timber pile, concrete-decked piers. Approximately 10 acres of paved, open storage area are located at rear of transit sheds. Coastal Fuels Marketing, Inc., a subsidiary of the Coastal Corp.: One 14 inch asphalt pipeline, and one 12- and three 10-inch petroleum product lines extend from wharf to tanks described under Ref. No
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14150 Dock Code: 825

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 131
Name: **Canaveral Port Authority, Tanker Berth No. 1.**
Location: South side of Canaveral Harbor, approximately 1.2 miles inside outer end of south entrance jetty, Cape C Datum: MLW
Operator: Coastal Fuels Marketing, Inc.; Transtate Industrial Pipeline Systems, Inc.; Continent
Owner: Canaveral Port Authority.
Address: 8954 N. Atlantic Avenue. Phone: 407/783-9074
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt of petroleum products, asphalt, and cement; bunkering vessels.
Depth Alongside (feet): 36 - 38 | | Latitude (decimal): 28.409444
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.60889
Remarks: Continental Cement of Florida, Inc.: Four 10-inch, pneumatic pipelines extend from wharf to six cement storage silos with two interstices at rear, total capacity 32,000 tons. Coastal Fuels Marketing, Inc., a subsidiary of the Coastal Corp.: Five 10-inch petroleum product pipelines extend from wharf to 9 steel storage tanks, total capacity approximately 506,000 barrels; one 14-/10-inch pipwharf to 6 asphalt storage tanks, total capacity approximately 144,000 barrels. □ Transtate Industrial Pipeline Systems, Inc.: One 22/18-inch petroleum pipeline extends from wharf to one 257,000 barrel handled for Florida Power & Light Company.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14150 Dock Code: 815

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 132
Name: **Canaveral Port Authority, Tanker Berth No. 2.**
Location: South side of Canaveral Harbor, approximately 1.4 miles inside outer end of south entrance jetty, Cape C Datum: MLW
Operator: Transtate Industrial Pipeline Systems, Inc. and Exceltech Corp.
Owner: Canaveral Port Authority.
Address: 9035 and 9040 Flounder Street. Phone: 407/799-2279
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt and shipment of No. 6 fuel oil.
Depth Alongside (feet): 38 | | Latitude (decimal): 28.409444
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.61028
Remarks: Transtate Industrial Pipeline Systems, Inc.: Two 24/22-inch pipelines extend from wharf to storage tank described under Ref. No. 131. □ Exceltech Corp.: One 24-inch pipeline extends from wharf to one 325,000 barr storage tank at rear; fuel oil is handled for Orlando Utilities Commission.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14150 Dock Code: 815

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 143
Name: **Cape Canaveral Shrimp Co. Wharf.**
Location: South side of Canaveral Harbor, approximately 0.4 mile below State Highway 401 Bridge. Datum: MLW
Operator: Cape Canaveral Shrimp Co.
Owner: Canaveral Port Authority.
Address: 750 Scallop Drive. Phone: 407/783-9560
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing boats.
Depth Alongside (feet): 10 | | Latitude (decimal): 28.408333
Total Berthing Space (feet): 550 | | Longitude (decimal): -80.62583
Remarks: Seafood is trucked to processing plant. □ □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14150 Dock Code: 750 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 153
Name: **CSR Rinker Materials Corp., Port Canaveral North Cargo Pier 4.**
Location: North side of Canaveral Harbor, approximately one mile below State Highway 409 Bridge. Datum: MLW
Operator: CSR Rinker Materials Corp.
Owner: Canaveral Port Authority.
Address: 550 Dolphin Road. Phone: 407/783-1261
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt of cement; mooring vessels.
Depth Alongside (feet): 34 | | Latitude (decimal): 28.410833
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.61556
Remarks: Six concrete storage silos at terminal in rear have total capacity for 39,000 tons of cement. Cement is shipped via 2 truck-loading stations located under silos.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14150 Dock Code: 977

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 140
Name: **Fleet Marine Wharf.**
Location: South side of Canaveral Harbor, east of foot of George King Boulevard. Datum: MLW
Operator: Fleet Marine, Inc.
Owner: Canaveral Port Authority
Address: 714 Scallop Drive. Phone: 407/783-6140
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt of seafood; mooring and icing fishing boats.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 28.408333
Total Berthing Space (feet): 250 | | Longitude (decimal): -80.62056
Remarks: Seafood processing plant is located at rear.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14150 Dock Code: 700

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 148
Name: **Hvide Marine Towing, Port Canaveral Pier.**
Location: North side of Canaveral Harbor, northeast side of West Turning Basin. Datum: MLW
Operator: Hvide Marine Towing, Inc.
Owner: Canaveral Port Authority.
Address: 737 Snapper Road. Phone: 407/799-2827
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring harbor tugs.
Depth Alongside (feet): 20 | 12 - 20 | Latitude (decimal): 28.415833
Total Berthing Space (feet): | 100, | Longitude (decimal): -80.62333
Remarks: Operations office is located at rear.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 659 Jacksonville District

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 138
Name: **Miss Cape canaveral Wharf**
Location: South side of Canaveral Harbor, approximately 300 feet east of foot of George King Boulevard. Datum: MLW
Operator: C & S Enterprises.
Owner: Canaveral Port Authority.
Address: 670 Glen Cheek Drive. Phone: 407/783-5274
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring charter fishing boats.
Depth Alongside (feet): 8 | | Latitude (decimal): 28.408889
Total Berthing Space (feet): 175 | | Longitude (decimal): -80.61833
Remarks: Charter boats 'Miss Cape Canaveral' and 'Extasea' moor at wharf. Captain Neal's Ocean Treasures and parking lot are located at rear.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 625

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 144
Name: **New Port Marina Pier.**
Location: South side of Canaveral Harbor, approximately 800 feet southeast of State Highway 401 Bridge. Datum: MLW
Operator: New Port Marina, Inc.
Owner: Canaveral Port Authority.
Address: 960 Mullet Road. Phone: 407/784-5788
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring and fueling fishing boats and small craft; mooring vessels for repair.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 28.407778
Total Berthing Space (feet): 90 | 30. | Longitude (decimal): -80.63056
Remarks: Marine repair plant, offices, and dry storage building for 250 boats are located in rear. Fueling pipelines extend to pumps at rear of bulkhead from one 22,000-gallon diesel- and one 6,500-gallon gasoline-storage. Additional berthing for two vessels is available adjacent to vertical boat lift piers perpendicular to face.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 850 Jacksonville District

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 137
Name: **Pelican Fleet Landing.**
Location: South side of Canaveral Harbor, approximately 400 feet east of foot of George King Boulevard. Datum: MLW
Operator: Pelican Party Boats, Inc.
Owner: Canaveral Port Authority.
Address: 665 Glen Cheek Drive. Phone: 407/784-6300
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring charter fishing boats.
Depth Alongside (feet): 8 - 10 | 8 - 10 | Latitude (decimal): 28.408889
Total Berthing Space (feet): 180 | 72 | Longitude (decimal): -80.61806
Remarks: Charter boats 'Orlando Princess,' 'Adventurous,' and 'Sea Venture' moor at piers. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 618 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 149
Name: **Port Canaveral Maintenance and Fabrication Wharf.**
Location: North side of Canaveral Harbor, northeast side of West Turning Basin. Datum: MLW
Operator: Port Canaveral Maintenance and Fabrication, Inc.
Owner: Canaveral Port Authority.
Address: 735 Snapper Road. Phone: 407/783-7732
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing boats for repair.
Depth Alongside (feet): 10 | | Latitude (decimal): 28.416111
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.6225
Remarks: Marine repair plant is located at rear. A portion of property is subleased to Inlet Fisheries located at 733 Snapper Road.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 675 Jacksonville District

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 139
Name: **Puck O'Neal Seafood Wharf.**
Location: South side of Canaveral Harbor, east of foot of George King Boulevard. Datum: MLW
Operator: Puck O'Neal Seafood.
Owner: Canaveral Port Authority
Address: 710 Scallop Drive. Phone: 407/783-4510
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Receipt of seafood; mooring and icing fishing boats.
Depth Alongside (feet): 7 - 12 | | Latitude (decimal): 28.408333
Total Berthing Space (feet): 250 | | Longitude (decimal): -80.62028
Remarks: Seafood packing and processing plant is located at rear.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 640 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 136
Name: **Sun Cruz Casino Wharf.**
Location: South side of Canaveral Harbor, west of foot of Flounder Street extended. Datum: MLW
Operator: Sun Cruz Casino and others.
Owner: Canaveral Port Authority.
Address: 405A Atlantis Road. Phone: 407/783-2770x2
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring casino vessel 'Sun Cruz VIII' and charter fishing boats.
Depth Alongside (feet): 12 | 8 | 8 Latitude (decimal): 28.408889
Total Berthing Space (feet): 570 | 120 | 140 Longitude (decimal): -80.61667
Remarks: Plans call for the 'Sun Cruz VIII' to relocate east to the front of Lloyd's restaurant. Parking lot is located at rear and on opposite side of Glen Cheek Drive. Various charter vessels operate from piers and fr timber pile, timber-decked piers. Gangplank floating restaurant presently fronts Lloyd's restaurant.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14150 Dock Code: 570 Jacksonville District

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 135
Name: **Sunrise Marina Piers and Mooring Wharf.**
Location: South side of Canaveral Harbor, west of foot of Flounder Street extended. Datum: MLW
Operator: Sunrise Marina and Seafood Atlantic, Inc.
Owner: Canaveral Port Authority.
Address: 505 Glen Cheek Drive. Phone: 407/783-9535
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring, fueling, and icing fishing vessels, charter and recreational craft; receipt of seafood.
Depth Alongside (feet): 8- | 8 | 8 - 18 Latitude (decimal): 28.408889
Total Berthing Space (feet): 66 | 9 | 50 Longitude (decimal): -80.615
Remarks: Seafood Atlantic, Inc.: Fishing boats moor along western portion of bulkhead; retail fish market is located at rear. ☐ Sunrise Marina: Two 1 1/2-inch fuel lines serving metered pumps extend from 2 steel storage tanks at rear, total capacity 13,000 gallons. ☐ Various charter vessels operate from each side of west pier and west side of east pier.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14150 Dock Code: 530 Jacksonville District

Port Series No. 16
Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 156
Name: **U.S. Air Force, Cape Canaveral Air Force Station Wharf.**
Location: North side of Canaveral Harbor, north side of Middle Turning Basin. Datum: MLW
Operator: U.S. Air Force and Military Traffic Management Command.
Owner: U.S. Government.
Address: Phone: 407/853-6449
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring floating equipment and tugboats; handling military cargo, equipment, and supplies.
Depth Alongside (feet): 16 - 17 | 16 - 17 | Latitude (decimal): 28.415
Total Berthing Space (feet): 500 | 120 | Longitude (decimal): -80.60917
Remarks: Building at rear provides office and storage space.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 973

Port: **Port Canaveral**
Waterway: **Canaveral Harbor** Mile: PWD: 150
Name: **U.S. Coast Guard Station, Port Canaveral Wharf.**
Location: North side of Canaveral Harbor, north and east sides, northeast corner of West Turning Basin. Datum: MLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 9235 Grouper Road. Phone: 407/868-4200
Town: Cape Canaveral State: FL County: Brevard
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels and small craft.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 28.416111
Total Berthing Space (feet): 250 | 2 | 550 Longitude (decimal): -80.62167
Remarks: U.S. Coast Guard Station Port Canaveral is located at rear. One 4-inch sewage pipeline for vessels is located on wharf. Fueling pipeline extends to wharf from one 2,500-gallon storage tank in rear.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14150 Dock Code: 665 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Everglades**
Waterway: **Atlantic Intracoastal Waterway** Mile: 1067 PWD: 111
Name: **Port Everglades Authority, Berths 26, 27 and 28A.**
Location: Mile 1067.3, west side of Atlantic Intracoastal Waterway, approximately 0.6 mile south of Port Everglade Datum: MLW
Operator: Port Everglades Department of Broward County and Hvide Marine Towing.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Hollywood State: FL County: Broward
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo; mooring cruise and naval vessels and harbor tugs; boarding passengers; bunkering vessels.
Depth Alongside (feet): 40 | 27 | Latitude (decimal): 26.084444
Total Berthing Space (feet): 1,337 | 480 | Longitude (decimal): -80.11472
Remarks: Pipelines extend from each berth to oil storage tanks (See Oil Handling and Bunkering Table, pages xxx and xxx). Approximately 33,600 square feet of Building No. 26 is used for embarkation/baggage handling. App acres of open storage area is located at rear. Headquarters of Hvide Marine, Inc. are located in building at rear of south side.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14311 Dock Code: 288 Jacksonville District

Port: **Port Everglades**
Waterway: **Atlantic Intracoastal Waterway** Mile: 1067 PWD: 112
Name: **Port Everglades, Berths 28B -28F.**
Location: Mile 1067.5, west side of Atlantic Intracoastal Waterway, approximately 0.7 mile south of Port Everglade Datum: MLW
Operator: Port Everglades Department of Broward County and Hvide Marine Towing.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Hollywood State: FL County: Broward
Railway Connection: None.
Purpose: Mooring small vessels and harbor tugs.
Depth Alongside (feet): 27 | 27 | 27 Latitude (decimal): 26.081389
Total Berthing Space (feet): 550 | 400 | 700 Longitude (decimal): -80.11611
Remarks: -□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14311 Dock Code: 291 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Everglades**
Waterway: **Atlantic Intracoastal Waterway** Mile: 1068 PWD: 115
Name: **Port Everglades Authority, Berths 33A, 33B, and 33C.**
Location: Mile 1068.3, west side of Atlantic Intracoastal Waterway, approximately one mile south of Port Everglade Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Hollywood State: FL County: Broward
Railway Connection: Port Everglades Railway: Plans call for the construction of an intermodal container transfer facility (ICTF) to connect with Florida East Coast Railway and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and roll-on/roll-off general cargo.
Depth Alongside (feet): 44 | 44 | Latitude (decimal): 26.065556
Total Berthing Space (feet): 800 | 400 | Longitude (decimal): -80.11639
Remarks: Vessel berthed at Berth 33A can be served by container cranes as well as by a roll-on/roll-off ramp.
See Remarks under Ref. No. 114. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14311 Dock Code: 299 Jacksonville District

Port: **Port Everglades**
Waterway: **Atlantic Intracoastal Waterway** Mile: 1068 PWD: 113
Name: **Port Everglades, Berth 29.**
Location: Mile 1067.6, west side of Atlantic Intracoastal Waterway, approximately 0.8 mile south of Port Everglade Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Hollywood State: FL County: Broward
Railway Connection: None.
Purpose: Receipt and shipment of containerized and conventional general cargo, steel, lumber, and newsprint.
Depth Alongside (feet): 40 | | Latitude (decimal): 26.079167
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.11556
Remarks: Approximately 18 acres of paved, open storage area are located at rear. □ □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14311 Dock Code: 295 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Everglades**
Waterway: **Atlantic Intracoastal Waterway** Mile: 1068 PWD: 114
Name: **Port Everglades, Berths 30, 31, and 32.**
Location: Mile 1068.2, west side of Atlantic Intracoastal Waterway, approximately one mile south of Port Everglade Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Hollywood State: FL County: Broward
Railway Connection: Port Everglades Railway: Plans call for the construction of an intermodal container transfer facility (ICTF) to connect with Florida East Coast Railway and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and roll-on/roll-off general cargo.
Depth Alongside (feet): 44 | 44 | Latitude (decimal): 26.069167
Total Berthing Space (feet): 2,000 | 900 | Longitude (decimal): -80.11611
Remarks: Crowley American Transport: Approximately 68.2 acres of paved, open storage area are located at rear, including approximately 200 positions for refrigerated cargo containers. Sea-Land Service, Inc.: Approximately 49 acres of paved, open storage area are located at rear, including 152 positions for refrigerated cargo containers. Seaboard: Approximately 19.8 acres of paved, open storage area. Plans call for Southport Intermodal Complex and Port Everglades Commerce Center to be located south and west of McIntosh Road respectively.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 297 Jacksonville District

Port: **Port Everglades**
Waterway: **Lake Mabel** Mile: PWD: 98
Name: **Nova Southeastern University, Oceanographic Center Boat Basin.**
Location: East shore of Lake Mabel, approximately 0.1 mile south of inner end of Port Everglades entrance channel. Datum: MLW
Operator: Nova Southeastern University Oceanographic Center.
Owner: Broward County.
Address: 8000 North Ocean Drive. Phone: 954/920-1909
Town: Hollywood State: FL County: Broward
Railway Connection: None.
Purpose: Mooring oceanographic research vessels and small craft.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 26.090556
Total Berthing Space (feet): 152 | 300 | 70+ Longitude (decimal): -80.1125
Remarks: Laboratory and office buildings are located at rear. Entrance to basin from Lake Mabel is approximately 50 feet wide.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 200

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Everglades**
Waterway: **Lake Mabel** Mile: PWD: 102
Name: **Port Everglades, Berth 4.**
Location: West shore of Lake Mabel, north side of Slip No. 2. Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Fort Lauderdale State: FL County: Broward
Railway Connection: Port Everglades Railway: One surface track serves open storage areas in rear; connects with Florida East Coast Railway and CSX Rail Transport.
Purpose: Receipt and shipment of conventional and roll-on/roll-off general cargo; mooring cruise vessels; boarding passengers; bunkering vessels.
Depth Alongside (feet): 43 | | Latitude (decimal): 26.095
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.12194
Remarks: Bunkering pipelines extend to each berth from nearby storage tanks (see Oil Handling and Bunkering Table, pages xxx and xxxx). One 20-truck capacity loading platform is located at the rear of Building No. 4. T areas with a total of 4.5 acres are located behind transit shed. Approximately 30,300 square feet of Building No. 4 is used for embarkation/baggage handling.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 229 Jacksonville District

Port: **Port Everglades**
Waterway: **Lake Mabel** Mile: PWD: 103
Name: **Port Everglades, Berth 4A.**
Location: West shore of Lake Mabel, head of Slip No. 2. Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Fort Lauderdale State: FL County: Broward
Railway Connection: Port Everglades Railway: One surface track serves open storage areas in rear; connects with Florida East Coast Railway and CSX Rail Transport.
Purpose: Occasional receipt and shipment of roll-on/roll-off general cargo.
Depth Alongside (feet): 43 | | Latitude (decimal): 26.095
Total Berthing Space (feet): 290 | | Longitude (decimal): -80.12194
Remarks: Open storage areas described under Berth 4 (Ref. No. 102) are adjacent to wharf. Slip is equipped with an oil containment curtain to close off slip in case of emergency.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 230 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Everglades**
Waterway: **Lake Mabel** Mile: PWD: 101
Name: **Port Everglades, Berths 1, 2, and 3.**
Location: West shore of Lake Mabel, north of Slip No. 2. Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Fort Lauderdale State: FL County: Broward
Railway Connection: Port Everglades Railway: One surface track serves open storage areas in rear; connects with Florida East Coast Railway and CSX Rail Transport.
Purpose: Receipt and shipment of conventional and roll-on/roll-off general cargo; mooring cruise vessels; boarding passengers; bunkering vessels.
Depth Alongside (feet): 31 | | Latitude (decimal): 26.096944
Total Berthing Space (feet): 1,601 | | Longitude (decimal): -80.12083
Remarks: Bunkering pipelines extend to each berth from nearby storage tanks (see Oil Handling and Bunkering Table, pages xxxx and xxxx). Convention center and Northport Garage are located at rear of the transit sheds. Ap 29,500 square feet of Building No. 1 and 47,000 square feet of Building No. 2 are used for embarkation/baggage handling.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 228 Jacksonville District

Port: **Port Everglades**
Waterway: **Lake Mabel** Mile: PWD: 106
Name: **Port Everglades, Berths 11, 12, 12A, 13, and 13A.**
Location: West shore of Lake Mabel, north of, north side of, and head of Slip No. 3, foot of S.E. Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Hollywood State: FL County: Broward
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products including liquefied petroleum gas; bunkering vessels.
Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 26.091111
Total Berthing Space (feet): 500 | 1,226 | 300 Longitude (decimal): -80.12222
Remarks: Pipelines extend from each berth to oil and asphalt storage tanks (see Oil Handling and Bunkering Table, pages xxx and xxx). Slip is equipped with an oil containment curtain to be used in case of emergency. Wat Power & Light Company's power plant is built into south portion of bulkhead at head of slip.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 243 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Everglades**

Waterway: **Lake Mabel** Mile: PWD: 107

Name: **Port Everglades, Berths 14 and 15.**

Location: West shore of Lake Mabel, south side of Slip No. 3, foot of S.E. 26th Street. Datum: MLW

Operator: Port Everglades Department of Broward County; Continental Cement of Florida, Inc.; an

Owner: Port Everglades Department of Broward County.

Address: Phone: 954/523-9683

Town: Hollywood State: FL County: Broward

Railway Connection: Port Everglades Railway: One surface track serves cement storage silos at rear; connects with Florida East Coast Railway and CSX Rail Transport.

Purpose: Receipt of cement and petroleum products; receipt and shipment of conventional general cargo; bunkering vessels.

Depth Alongside (feet): 38 | | Latitude (decimal): 26.090278

Total Berthing Space (feet): 1,226 | | Longitude (decimal): -80.12222

Remarks: Pipelines extend from each berth to oil storage tanks (see Oil Handling and Bunkering Table, pages xxx and xxx). Transit shed also serves Berth No. 16 (Ref. No. 108). Continental Cement of Florida, Inc.: Conveyor extends from Berth 14 to 14 silos and 6 interstices located at terminal at rear, total capacity 47,000 tons.CSR Rinker Materials Corp.: Four 12-inch pipelines extend from Berth 15 to 14 cement silos in rear, total capacity 65,000 tons.

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 246 Jacksonville District

Port: **Port Everglades**

Waterway: **Lake Mabel** Mile: PWD: 108

Name: **Port Everglades, Berths 16, 17, and 18.**

Location: West shore of Lake Mabel, west side of south extension to turning basin, between Datum: MLW
foot of S.E 26th and S.

Operator: Port Everglades Department of Broward County.

Owner: Port Everglades Department of Broward County.

Address: Phone: 305/523-3404x3

Town: Hollywood State: FL County: Broward

Railway Connection: Port Everglades Railway: One surface track serves cement storage silos at rear of Berth 17; connects with Florida East Coast Railway and CSX Rail Transport.

Purpose: Receipt and shipment of containerized, conventional, and roll-on/roll-off general cargo; receipt of newsprint and cement; bunkering vessels; mooring cruise vessels; and boarding passengers.

Depth Alongside (feet): 38 | | Latitude (decimal): 26.086944

Total Berthing Space (feet): 1,648 | | Longitude (decimal): -80.12167

Remarks: Pipelines extend from each berth to oil storage tanks (see Oil Handling and Bunkering Table, pages xxx and xxx.) Approximately 44 acres of paved storage area for containers are located at rear. A 90-foot wide r is built into adjacent Berth 19 for handling roll-on/roll-off cargo via stern ramps of vessels berthed at Berth 18. Approximately 72,600 square feet of Building No. 18 is used for embarcation/baggage handling.CSR Rinker Materials Corp.: Four 12-inch pipelines extend from Berth 17 to storage facilities described under Ref. No. 107.

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 249 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Everglades**
Waterway: **Lake Mabel** Mile: PWD: 109
Name: **Port Everglades, Berths 19 and 20.**
Location: West shore of Lake Mabel, south side of south extension to turning basin. Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Hollywood State: FL County: Broward
Railway Connection: None.
Purpose: Receipt and shipment of containerized, conventional, and roll-on/roll-off general cargo; bunkering vessels; mooring naval and cruise vessels; and boarding passengers.
Depth Alongside (feet): 38 | | Latitude (decimal): 26.085556
Total Berthing Space (feet): 1,300 | | Longitude (decimal): -80.11833
Remarks: Pipelines extend from each berth to oil storage tanks (see Oil Handling and Bunkering Table, pages xxxx and xxxxx). A ramp at elevation 4.0 is built into adjacent Berth 18 intended for handling roll-on/roll-off of vessels berthed at Berth 19. Approximately 15 acres of paved, open storage area are located at rear. Midport parking garage is located east of Building No. 19. Approximately 47,600 square feet of Building No. 19embarkation/baggage handling.

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 270 Jacksonville District

Port: **Port Everglades**
Waterway: **Lake Mabel** Mile: PWD: 100
Name: **Port Everglades, Berths 1A and 1B.**
Location: West shore of Lake Mabel, northwest of north extension to turning basin; below Brook Memorial Causeway (Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Fort Lauderdale State: FL County: Broward
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 12 | 23 | Latitude (decimal): 26.099444
Total Berthing Space (feet): 180 | 102+ | Longitude (decimal): -80.11972
Remarks: One 102-foot wide concrete loading ramp is located at inner end of south side. Plans call for the construction of a hotel at rear south of S.E. 17th Street. □

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 224 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Everglades**
Waterway: **Lake Mabel** Mile: PWD: 110
Name: **Port Everglades, Berths 21, 22, 23, 24 and 25.**
Location: West shore of Lake Mabel, east side of turning basin; and west side of Atlantic Intracoastal Waterway. Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Hollywood State: FL County: Broward
Railway Connection: None.
Purpose: Boarding passengers; mooring naval and cruise vessels; bunkering vessels.
Depth Alongside (feet): 38 | 40 | 38 Latitude (decimal): 26.088056
Total Berthing Space (feet): 1,475 | 1,389 | 240 Longitude (decimal): -80.115
Remarks: Pipelines extend from each berth to oil storage tanks (See Oil Handling and bunkering Table, pages xxx and xxx). Approximately 31,511 square feet of Building No. 21 located at the rear of Berth 21 is used for e handling. Approximately 46,439 square feet of Building No. 22/24 located at the rear of Berths 22 and 24 is used for embarkation/baggage handling. Approximately 36,854 square feet of Building No. 25 located at the rBerth 25 is used for embarkation/baggage handling. Naval ships moor at Berths 24 and 25. Burt & Jacks Restaurant is located at the rear of Berth 23.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 274 Jacksonville District

Port: **Port Everglades**
Waterway: **Lake Mabel** Mile: PWD: 104
Name: **Port Everglades, Berths 5 and 6.**
Location: West shore of Lake Mabel, south side of and south of Slip No. 2. Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Fort Lauderdale State: FL County: Broward
Railway Connection: None.
Purpose: Receipt and shipment of conventional and containerized general cargo; receipt of asphalt and other petroleum products; bunkering vessels.
Depth Alongside (feet): 43 | 38 | Latitude (decimal): 26.094167
Total Berthing Space (feet): 900 | 378 | Longitude (decimal): -80.12028
Remarks: Pipelines extend from each berth to oil and asphalt storage tanks (see Oil Handling and Bunkering Table, pages xxx and xxx). Approximately 0.8 acre of open storage area is located in rear.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 14311 Dock Code: 231 Jacksonville District

Port Series No. 16

Ports of Miami, Port Everglades, Palm Beach, and Port Canaveral, FL

Port: **Port Everglades**
Waterway: **Lake Mabel** Mile: PWD: 105
Name: **Port Everglades, Berths 7, 8, 8A, 9, and 10.**
Location: West shore of Lake Mabel, Slip No. 1, foot of Spangler Boulevard. Datum: MLW
Operator: Port Everglades Department of Broward County.
Owner: Port Everglades Department of Broward County.
Address: Phone: 305/523-3404x3
Town: Fort Lauderdale State: FL County: Broward
Railway Connection: None.
Purpose: Receipt of asphalt and other petroleum products; bunkering vessels.
Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 26.092778
Total Berthing Space (feet): 1,200 | 300 | 1,200 Longitude (decimal): -80.12222
Remarks: Pipelines extend from each berth to oil and asphalt storage tanks (see Oil Handling and Bunkering Table, pages xxx and xxx). Slip is equipped with an oil containment curtain to close off slip in case of emergenc 1/2-ton each, small boat davits for deployment of oil spill containment vessel are located at head of slip (Berth 8A). The corporate boundary between the cities of Fort Lauderdale and Hollywood bisects slip.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14311 Dock Code: 237 Jacksonville District

Port: **Port Everglades**
Waterway: **Lake Mabel** Mile: PWD: 99
Name: **U. S. Coast Guard, Fort Lauderdale Station Boat Basin.**
Location: East shore of Lake Mabel, approximately 0.2 mile south of inner end of Port Everglades entrance channel. Datum: MLW
Operator: U. S. Coast Guard.
Owner: U. S. Coast Guard.
Address: 7000 North Ocean Drive. Phone: 954/927-1611
Town: Hollywood State: FL County: Broward
Railway Connection: None.
Purpose: Mooring U. S. Coast Guard vessels.
Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 26.089167
Total Berthing Space (feet): 4 | 2 | 200 Longitude (decimal): -80.11306
Remarks: Inner pier on north side and east bulkhead form a 50- by 17-foot slip served by mobile vertical boat lift. One diesel fueling pipeline extends to north bulkhead from one 4,000-gallon storage tank in rear. One 4 serves piers.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 14311 Dock Code: 910
